





OFFICIAL AUTHORIZED PROFESSIONAL MANUFACTURER

# PERFOMANCE RACING PRODUCTS



# BRACING



TAIWAN BIKE RACK CO.,LTD.
No.83, Lane 61, Sianguang Rd.,
Sihu Township, Changhua
County 51451,Taiwan (R.O.C)

Tel +886-4-881-3634
Fax +886-4-881-3924
sales@tbracing.com.tw
www.tbracing.com.tw

2025 CATALOGUE







**SEAT BELT COMPONENT** 

Hardware

**VEHICLE EQUIPMENT** 

Steering wheel quick release

Steering wheel

Coupe-circuit

Racing seat

Hood pins lock clip

/ Hydranlic handbrake

Fire extinguisher

76

- Latch and link system
- Ratchet mechanism

OB HARNESSES

- FIA 8853-2016 harness standard
- ✓ SFI 16.1 specification
- SFI 16.5 specification
- UTV harnesses
- Tuning harnesses
- Seat belt

## / Window note 9. Hol

ACCESSORIES

- ✓ Window nets & Helmet net
- Tow straps
- Arm Restraint
- ✓ Cam buckle & Ratchet buckle & Overcenter buckle
- ✓ Tie down straps & Spare tire strap
- Padding
- Hand tools



# THE COMPANY

# TAIWAN-BASED, PROFESSIONAL MANUFACTURER

TAIWAN BIKE RACK CO.,LTD (Brand: TBRACING), established in 1995 in Taiwan, wholly-owned operating companies.
We are over 25 years of professional manufacturing experience in Taiwan.

#### Our factory has

- 6 stamping line, from 15 tons to 300 tonsstamping machine.
- 10 ribbon machine
- 12 sewing machine
- 5 driller
- 3 Assembly line
- 2 die casting machine
- 1 laser engraving

We are devoted in ODM/OEM service, and provide new technologies, new solutions to customers.



























## OUR PRODUCTS

TBRACING manufacture precision products, like seat belt hardware and components, FIA & SFI international certification racing seat belts, seat belt buckle, restraint buckle, cam buckle, tie down straps, windows net, and other related safety equipment.







## LABORATORY



## OC SYSTEM

In order to build up a good quality control systems, TBRACING follow

- ISO 9001:2015
- FIA standard 8853-2016 Homologation standards
- FIA standard 8854/98 Homologation Standards
- SFI 16.1 specification
- SFI 16.5specification
- SFI 16.6 specification
- SFI 27.1 specification

Also set up tons of professional test equipment which can make sure TBRACING's product are good.

#### SAFE TESTING

Our quality inspectors are responsible for inspecting all areas of production from raw material to packing condition. Our team take good care to ensure all components and labeling meet customer require. The quality of TBRACING products is the result of intensive R&D which allows to achieve the highest levels of performance and safety.












#### PRIORITY

Become one of the good service company is always TBRACING's Priority.

TBRACING is customer-oriented service, only provide stable/good quality products and service to clients.

In order to reach the customers requirement, we have variety production department line to offer. From the raw material to finished products, we can take good care on each steps.





G-CERT!

G-CERTI Certificate

No.83, Lare61, Sianguang Rd., Shu Township, Changhua County \$1451 Taiwan, R.O.C.

Signature and in tenahri SSSETI President IK Chic

IAS


meets the Standard Requirements & Scope as following ISO 9001:2015 Quality Managenen: Systems

hereby certifies that

Taiwan Bike Rack Co., Ltd.



## WHY CHOOSE US



- Manufacturer with global FIA international certification.
- Possess the American SFI safety quality certification.
- Possess patents for new inventions and designs in many countries.
- Possess professional OEM and ODM capability technology.
- Comply with ISO 9001 quality management requirements.
- High-quality sales interaction, perfect after-sales service.

## **APPLICATIONS**



















## **ULTRA BUCKLE-INTRODUCTION**



- PATENT

- The strongest safety buckle lead in the world !!!!!
- **2** The buckle and crotch tongue are combined into an integrated design to relieve the pressure of drivers wearing safety belts. Moreover, data proves that the strength of the integrated seat belt buckle is better.
- EU design patent, Taiwan design patent.
- The new lever can be released more effortlessly and quickly.





- PAT. No 015010522-0001
- PAT. D226166








- We use the sewn structure to allow more space in the crotch straps area, which can improve comfort and reduce pressure when racers wear safety belts.
- One-piece design, better structural strength, and the webbing can fit the thighs, ergonomic technology.



 We attach an anti-slip pad to the back of the top shoulder strap to increase the anti-slip and make the hans device more stable for racers to wear.

# APPROVED

MANUFACTURER: TBRACING MODEL: ULTRA HOM.NO: SH.104.26-T-6





#### **ITEM: ULTRA**


- FIA approved 8853-2016
- · The one-piece sewing structure improves the wearing comfort of racers and reduces pressure.
- · New fluorescent color with Ultra-thin and high tension webbing
- · NEW patent 2" ultra-light steel adjuster on the shoulder.
- · Add the patented elastic band, which help the belts quick release, and easy let driver get in the
- Using the lightweight steel adjusters for a smoother faster and secure adjustment on the lap belts.
- · Securing Velcro on shoulder belts.
- · Delivered with 7/16 UNF eye bolts.
- · Grab loops in the sewing structure on the shoulder and lap side.

### STANDARD MEASURES



## STANDARD COLORS







#### ITEM: ULTRA-D

- FIA approved 8853-2016
- · The one-piece sewing structure improves the wearing comfort of racers and reduces pressure.
- · New fluorescent color with Ultra-thin and high tension webbing
- Superlight printing logo
- · Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- · Pull down systems.
- · NEW patent 2" ultra-light steel adjuster and 2" ultra-light steel tongue adjuster on the shoulder and on the lap strap.
- · Using the lightweight steel adjusters for a smoother faster and secure adjustment on the lap belts.
- · Securing Velcro on shoulder belts.
- · Delivered with 7/16 UNF eye bolts.
- Grab loops in the sewing structure on the shoulder and lap side.

#### STANDARD MEASURES





11001 ULTRA-D BLACK 11002 ULTRA-D RED	11003 ULTRA-D BLUE 11004	ULTRA-D YELLOW 11005 ULTRA-D GREEN	11006 ULTRA-D PURPLE
11007 ULTRA-D PINK 11008 ULTRA-D ORANGE	11009 ULTRA-D AQUA BLUE 11	010 ULTRA-D GREY 11011 ULTRA-D CAMO	11012 ULTRA-D FLUORESCENT YELLOW
11013 ULTRA-D FLUORESCENT GREEN 11014 ULT	RA-D FLUORESCENT PINK 11015	JLTRA-D TREE 11016 ULTRA-D CHAMPION	

### **AUTO RETURN BUCKLE-INTRODUCTION**





- Ultralight Patented Auto Return aluminum rotary buckle.217g
- Ergonomic T bar
- Accept brand customization (OEM)
- FIA 8853-2016 Standards compliant
- Frevent accidental release
- 6 Quick release with spring ejectors

#### **PATENT**



- PAT. 3197144
- PAT. Nr.202015100721.3
- PAT. M583217
- PAT. D208908
- PAT. D213540
- PAT. No 008367833-0001

### 2"SUPERFAST ADJUSTER-INTRODUCTION





- Exclusive new design patent.
- Handle adjusters can help drivers quickly and easy adjust.
- Superfast adjuster for 2" width webbing.
- Lap strap use superfast tongue adjuster is convenient than general adjuster.





- PAT. D207194
- PAT. M593204
- PAT. No 007406004-0001

## FIA 8853-2016 HARNESS STANDARD




MANUFACTURER: TBRACING MODEL: SPORT PLUS HOM. NO: SH.059.19-T-6 FIA STANDARD: 8853-2016





## SPORT PLUS



BRACING

#### ITEM: SPORT PLUS

- FIA approved 8853-2016
- · Add the patented elastic band, which fix the webbing on both sides of the racing seat.
- · Using the latest light-weight webbing, lightweight steel adjusters for a smoother faster and secure adjustment on the shoulder and lap belts.
- Ultra-thin and high tension webbing with all 2 inches (50mm).
- · Securing Velcro on shoulder belts.
- Ergonomically T-tongue designed.
- Delivered with 7/16 UNF eve bolts.
- Grab loops in the sewing structure even when wearing racing gloves.

### STANDARD MEASURES











#### STANDARD COLORS

60001 SPORT PLUS BLACK 60002 SPORT PLUS RED 60003 SPORT PLUS BLUE 60004 SPORT PLUS YELLOW 60005 SPORT PLUS GREEN 60006 SPORT PLUS PURPLE 60007 SPORT PLUS PINK 60008 SPORT PLUS ORANGE 60009 SPORT PLUS AQUA BLUE 60010 SPORT PLUS GREY 60011 SPORT PLUS CAMO 60012 SPORT PLUS FLUORESCENT YELLOW 60013 SPORT PLUS FLUORESCENT GREEN 60014 SPORT PLUS FLUORESCENT PINK 60015 SPORT PLUS TREE 60016 SPORT PLUS CHAMPION

#### **SPORT PLUS FEATURES**





When the driver turn away to release position, lever will be auto return to close position. This is humanitarian design.

TBRACING design the most safety buckle, buckle's lever with slipping protection device (positive and negative 25 degrees) to prevent accidental switch!!



Pull velcro on shoulder belt adjusters can help drivers quickly adjust.



It's easy for using hand loops on the belts to adjust.

## SCHEMATIC DIAGRAM

Quick release elastic band device, when drivers release the AR buckle, lap straps will quickly release out the racing seat and fix to the seat edge. For any event which need to

change the driver is quite convenient and time saving.





■ PAT. M563376


■ PAT. No 007451992-0001



### FIA 8853-2016 HARNESS STANDARD

# **APPROVED**

MANUFACTURER: TBRACING MODEL: SPORT PLUS HOM. NO: SH.059.19-T-6 FIA STANDARD: 8853-2016





#### ITEM: SPORT PLUS 2

- FIA approved 8853-2016
- NEW patent 2" superfast adjuster on the shoulder.
- · Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- · Using the latest lightweight webbing, lightweight steel adjusters for a smoother faster and secure adjustment on the lap belts.
- Ultra-thin and high tension webbing with all 2 inches (50mm)
- Securing Velcro on shoulder belts.
- Ergonomically T-tongue designed.
- Delivered with 7/16 UNF eye bolts.
- Grab loops in the sewing structure on the shoulder and lap side.

#### STANDARD MEASURES

A 500mm

**B** 1400mm **C** 700mm

GROSS WEIGHT 2.15KG

#### STANDARD COLORS

SPORT PLUS 2







#### ITEM: SPORT

- FIA approved 8853-2016
- Lightweight aluminum cam lock buckle.
- 2"/3" shoulder belts (wrap/snap hook fitting) with aluminum adjusters.
- · Securing Velcro on shoulder belts.
- 3" lap belts with steel adjusters for pullup system and T-bar crutch straps.
- Delivered with 7/16 UNF eye bolts.

## STANDARD MEASURES

**△** 350mm **△** 1450mm **△** 600mm

650mm GROSS WEIGHT 2.46KG



61001 SPORT BLACK





61013 SPORT FLUORESCENT GREEN 61014 SPORT FLUORESCENT PINK 61015 SPORT TREE








61006 SPORT PURPLE 61012 SPORT FLUORESCENT YELLOW

## **SPORT PLUS 3-FEATURES**



MANUFACTURER: TBRACING MODEL: SPORT PLUS HOM. NO: SH.059.19-T-6 FIA STANDARD: 8853-2016





#### **ITEM: SPORT PLUS 3**

- FIA approved 8853-2016
- Superlight printing logo
- · Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- Pull down systems.
- NEW patent 2" superfast adjuster on the shoulder.
- NEW patent 2" superfast tongue adjuster on the
- · Using the latest lightweight webbing, lightweight steel adjusters for a smoother faster and secure adjustment on the lap belts.
- · Ultra-thin and high tension webbing with all 2 inches (50mm)
- Securing Velcro on shoulder belts.
- · Ergonomically T-tongue designed.
- · Delivered with 7/16 UNF eye bolts.
- · Grab loops in the sewing structure on the shoulder and lap side.

### STANDARD MEASURES









GROSS WEIGHT 2.35KG

### STANDARD COLORS

57001 SPORT PLUS 3 BLACK 67002 SPORT PLUS 3 RED 67003 SPORT PLUS 3 BLUE 67004 SPORT PLUS 3 YELLOW 67005 SPORT PLUS 3 GREEN 67006 SPORT PLUS 3 PURPLE 67007 SPORT PLUS 2 PINK 67008 SPORT PLUS 2 ORANGE 67009 SPORT PLUS 3 AQUA BLUE 67010 SPORT PLUS 3 GREY 67011 SPORT PLUS 3 CAMO 67012 SPORT PLUS 3 FLUORESCENT YELLOW 67013 SPORT PLUS 2 FLUORESCENT GREEN 67014 SPORT PLUS 3 FLUORESCENT PINK 67015 SPORT PLUS 3 TREE 67016 SPORT PLUS 3 CHAMPION











THE PREFERRED RACING HARNESS FOR WORLD RALLY CHAMPIONSHIP, RALLY RACING, DRAG RACING, FORMULA CAR, TOURING CAR RACING, LE MANS PROTOTYPE RACING.

## FIA 8853-2016 HARNESS STANDARD



MANUFACTURER: TBRACING MODEL: SPORT PLUS HOM. NO: SH.059.19-T-6 FIA STANDARD: 8853-2016





#### ITEM: SPORT PLUS 4

- FIA approved 8853-2016
- · New printing webbing with Ultra-thin and high tension webbing.
- · Add the patented elastic band, which help the belts quick release, and easy let driver get in the
- 2"/3" shoulder straps (FHR systems)with 3" Ultra-light adjuster
- Pull down systems
- · NEW patent 2"superfast tongue adjuster on the lap strap.
- · Securing Velcro on shoulder belts.
- Ergonomically T-tongue designed.
- · Delivered with bolt-in attachments.
- · Grab loops in the sewing structure on the shoulder and lap side.

### STANDARD MEASURES



**B** 1350mm **C** 700mm





**GROSS WEIGHT** 2.30KG

#### STANDARD COLORS

SPORT PLUS 4



## **APPROVED** MANUFACTURER: TBRACING MODEL: SPORT PLUS HOM. NO: SH.059.19-T-6 FIA STANDARD: 8853-2016 SPORT PLUS 5 2" ultra-thin and high tension webbing

Customized logo

2" T tonque








#### ITEM: SPORT PLUS 5

- FIA approved 8853-2016
- New printing webbing with Ultra-thin and high tension webbing.
- · Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- 2"/3" shoulder straps (FHR systems)with 3" Ultra-light adjuster
- Pull up systems
- · Securing Velcro on shoulder belts.
- · Ergonomically T-tongue designed.
- · Delivered with bolt-in attachments.
- Grab loops in the sewing structure on the shoulder and lap side.

#### STANDARD MEASURES





**GROSS WEIGHT** 2.30KG

#### STANDARD COLORS

13001 SPORT PLUS 5 BLACK 13002 SPORT PLUS 5 RED 13003 SPORT PLUS 5 BLUE 13004 SPORT PLUS 5 YELLOW 13005 SPORT PLUS 5 GREEN 13006 SPORT PLUS 5 PURPLE 13007 SPORT PLUS 5 PINK 13008 SPORT PLUS 5 ORANGE 13009 SPORT PLUS 5 AQUA BLUE 13010 SPORT PLUS 5 GREY 13011 SPORT PLUS 5 CAMO 13012 SPORT PLUS 5 FLUORESCENT YELLOW 13013 SPORT PLUS 5 FLUORESCENT GREEN 13014 SPORT PLUS 5 FLUORESCENT PINK 13015 SPORT PLUS 5 TREE 13016 SPORT PLUS 5 CHAMPION

Patented elastic band

7/16 UNF eye bolt

3" Ultra-light adjuster

Hand loops

## FIA 8853-2016 HARNESS STANDARD








#### ITEM: SPORT-S

- FIA approved 8853-2016 and SFI Spec 16.1 Certified.
- · Light weight aluminum cam lock buckle.
- 2"/3" shoulder straps (FHR systems) with steel adjusters.
- 3" pelvic straps with steel adjusters pull-up.
- 2" crotch straps with T tongue.
- Snap hook with UNF 7/16 eye bolt screw and safety pin.
- · Securing Velcro on shoulder belts.

#### STANDARD MEASURES







#### ITEM: ECO

- FIA approved 8853-2016
- · Lightweight aluminum cam lock buckle.
- 3" shoulder straps with steel adjusters.
- 3" pelvic straps with steel adjusters pull-up.
- 2" crotch straps with T tongue.
- Snap hook with UNF 7/16 eye bolt screw and safety pin.
- · Securing Velcro on shoulder belts.

#### **STANDARD MEASURES**

350mm **B** 1350mm **G** 600mm

**GROSS WEIGHT** 2.68KG

#### STANDARD COLORS

62007 SPORT-S PINK 62008 SPORT-S ORANGE 62009 SPORT-S AQUA BLUE 62010 SPORT-S GREY

62001 SPORT-S BLACK 62002 SPORT-S RED




















## STANDARD COLORS












3016 ECO CHAMPION



## 63001 ECO BLACK

63013 ECO FLUORESCENT GREEN



ECO-A

3" high tension webbing

ustomized logo

## FIA 8853-2016 HARNESS STANDARD



MANUFACTURER: TBRACING MODEL: SPORT HOM. NO: SH.002.16-T-6 FIA STANDARD: 8853-2016














- FIA approved 8853-2016
- · Lightweight aluminum cam lock buckle.
- 3" shoulder straps with aluminum adjusters.
- 3" pelvic straps with steel adjusters pull-up.
- · 2" crotch straps with T tongue.
- Snap hook with UNF 7/16 eye bolt screw and safety pin.
- · Securing Velcro on shoulder belts.

# ustomized logo



FIA approved 8853-2016

ITEM: ECO-D

- · 3" shoulder straps with steel adjusters.
- 3" pelvic straps with steel adjusters pull-up.
- · 2" crotch straps with T tongue.
- · Snap hook with UNF 7/16 eyebolt screw and safety pin.
- · Securing Velcro on shoulder belts.

STANDARD MEASURES

## STANDARD MEASURES



**B** 1350mm **C** 600mm



GROSS WEIGHT 2.62KG

#### STANDARD COLORS

64001 ECO-A BLACK

64002 ECO-A RED 64008 ECO-A ORANGE



2" T tongue

64003 ECO-A BLUE





3" Steel adjuster

**APPROVED** 

3" aluminum adjuster


MANUFACTURER: TBRACING MODEL: SPORT HOM. NO: SH.002.16-T-6



7/16 UNF eye bolt

Snap hook





#### STANDARD COLORS









2" T tongue







3" Steel adjuster

Hand loops

Super light quick return aluminum cam lock buckle



2" 3-bar Snap hook





69006 ECO-D PURPLE

69013 ECO-D FLUORESCENT GREEN 69014 ECO-D FLUORESCENT PINK 69015 ECO-D TREE

7/16 UNF eye bolt

**550mm** 



**B** 1350mm **C** 600mm

GROSS WEIGHT 2.68KG



## **SFI 16.1 SPECIFICATION**





#### ITEM : 5F-501

- SFI Spec 16.1 Driver Restraint Assemblies Certified.
- · Indications: Jr. Dragsters and Quarter Midgets.
- · Features polyester construction for maximum protection.
- 3" shoulder straps with steel adjusting devices / 3" pelvic straps with steel adjusting devices / 2" crotch straps with tongue.
- · Delivered with bolt-in attachment or snap in with 7/16 UNF eye bolts.
- · Adjuster include anti-slip spring.
- · Pull-down systems.

#### **STANDARD** MEASURES









- SFI Spec 16.1 Driver Restraint Assemblies Certified.
- · Indications: NHRA or Drag Racing.
- Features polyester construction for maximum protection.
- 3" shoulder straps with steel adjusting devices / 3" pelvic straps with steel adjusting devices / 2" crotch straps with tongue.
- · Delivered with bolt-in attachment or snap in with 7/16 UNF eye bolts.
- · Adjuster include anti-slip spring.
- Pull-down systems.

#### **STANDARD MEASURES**

A 1510mm B 380 mm C 1550mm GROSS WEIGHT 2.96KG

## STANDARD COLORS

51001 SF502 BLACK 51007 SF502 PINK

51002 SF502 RED 51008 SF502 ORANGE

1003 SF502 BLUE

51004 SF502 YELLOW 51009 SF502 AQUA BLUE 51010 SF502 GREY

51005 SF502 GREEN 51011 SF502 CAMO 51006 SF502 PURPLE

51012 SF502 FLUORESCENT YELLOW

STANDARD COLORS

50001 SF501 BLACK

50002 SF501 RED 50008 SF501 ORANGE

SF501 BLUE


SF501 AQUA BLUE

50004 SF501 YELLOW 50010 SF501 GREY 50005 SF501 GREEN 50011 SF501 CAMO 50006 SF501 PURPLE 50012 SF501 FLUORESCENT YELLOW

51013 SF502 FLUORESCENT GREEN 51014 SF502 FLUORESCENT PINK 51015 SF502 TREE

## **SFI 16.1 SPECIFICATION**





#### ITEM: 5F-601


- · SFI Spec 16.1 Driver Restraint Assemblies Certified.
- · Lightweight aluminum alloy cam buckle.
- Features polyester construction for maximum protection.
- 3" shoulder straps with steel adjusting devices / 3" pelvic straps with steel adjusting devices / 2" crotch straps with tongue.
- Delivered with bolt-in attachment or snap in with 7/16 UNF eye bolts.
- Pull- down systems.

#### STANDARD MEASURES





**GROSS WEIGHT** 2.88KG









#### ITEM: 5F-602

- · SFI Specification 16.5 Stock Car Driver Restraint Assemblies Certified.
- Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- · 3" Ultra-light adjuster on the shoulder.
- Pull down systems.
- · NEW patent 2" superfast tongue adjuster on the lap strap.
- · Securing Velcro on shoulder belts.
- · Ergonomically T-tongue designed.
- · Delivered with bolt-in attachments.
- 1" Grab loops in the sewing structure on the shoulder and lap side.

#### STANDARD MEASURES











## STANDARD COLORS














65001 SF601 BLACK 65013 SF601 FLUORESCENT GREEN 65014 SF601 FLUORESCENT PINK 65015 SF601 TREE

65002 SF601 RED 65008 SF601 ORANGE

STANDARD COLORS

SF601 BLUE SF601 AQUA BLUE


65004 SF601 YELLOW 65010 SF601 GREY

65005 SF601 GREEN 65011 SF601 CAMO 65006 SF601 PURPLE

65012 SF601 FLUORESCENT YELLOW

68013 SF602 FLUORESCENT GREEN 68014 SF602 FLUORESCENT PINK 68015 SF602 TREE

SF602 CHAMPION






#### ITEM: TUN-402

- 4 point harness with 2 inch belts.
- Easy to use automotive push button style latch system.
- The shoulder pads that stop chaffing on the neck and adds extra comfort.
- Easy installation using seat belt mounting points and black hardware.
- Pull- down systems.

#### STANDARD MEASURES







#### ITEM: TUN-402CG

- 4 point harness with 2 inch belts. Auto buckle
- Easy to use automotive push button style latch system.
- Remove the GEL padding and throw them in the wash so they are fresh for your next ride.
- New technology: Cooling GEL padding, 0 degrees without freezing, detachable, extremely comfortable body feeling
- Easy installation using seat belt mounting points and black hardware.
- Pull- down systems.


#### STANDARD MEASURES



#### STANDARD COLORS













#### ITEM: 5F-401

- Indications: UTV or other off-road vehicle-not replacement for FMVSS 209 restraints.
- · Easy in and easy out latch and link system
- · Sewn in pads AND Removable sternum strap
- · Features polyester construction for maximum protection
- · 3" shoulder straps with steel adjusting devices / 3" pelvic straps with steel adjusting devices.
- · Clip-in and Bolt-in OPTIONS AVAILABLE

#### STANDARD MEASURES











#### ITEM: 0R-401

- Indications: UTV or other off-road vehicle-not replacement for FMVSS 209 restraints.
- · Easy in and easy out latch and link system
- · Sewn in pads AND Removable sternum strap
- · Grab loops in the sewing structure
- · Features polyester construction for maximum protection
- · 3" shoulder straps with aluminum adjusting devices / 3" pelvic straps with steel adjusting devices.
- Clip-in and Bolt-in OPTIONS AVAILABLE

#### STANDARD MEASURES





GROSS WEIGHT 2.36KG

#### STANDARD COLORS



















41012 SF401 FLUORESCENT YELLOW




STANDARD COLORS
















42012 OR401 FLUORESCENT YELLOW

41009 SF401 AQUA BLUE 41010 SF401 GREY 41013 SF401 FLUORESCENT GREEN 41014 SF401 FLUORESCENT PINK 41015 SF401 TREE

42013 OR401 FLUORESCENT GREEN 42014 OR401 FLUORESCENT PINK 42015 OR401 TREE 42016 OR401 CHAMPION






#### ITEM: 0R-402

- · Indications: UTV or other off-road vehicle-not replacement for FMVSS 209 restraints.
- . Easy in and easy out latch and link system
- . Sewn in pads AND Removable sternum strap
- . Grab loops in the sewing structure
- . Features polyester construction for maximum protection
- . 2" shoulder straps with steel adjusting devices / 2" pelvic straps with steel adjusting devices.
- . Clip-in and Bolt-in OPTIONS AVAILABLE

#### STANDARD MEASURES



**GROSS WEIGHT** 1.76KG






#### ITEM: 0R-501

- 5 point UTV harness with 2 inch belts
- 2" shoulder straps with steel adjusting devices / 2" pelvic straps with steel adjusting devices / 2" crotch straps with tongue.
- · Delivered with bolt-in attachment or snap in with 7/16 UNF eye bolts.
- Easy in and easy out latch and link system
- · Sewn in pads AND Removable sternum strap
- Grab loops in the sewing structure

#### **STANDARD MEASURES**





D 600mm GROSS WEIGHT 2.22KG

#### STANDARD COLORS



45008 OR402 ORANGE




45003 OR402 BLUE











## STANDARD COLORS

















52012 OR501 FLUORESCENT YELLOW

52001 OR501 BLACK







2" Latch & Link

3" Steel adjuster



#### ITEM: OR-401LP

- Indications: UTV or other off-road vehicle-not replacement for FMVSS 209 restraints.
- · Easy in and easy out latch and link system
- · Sewn in pads AND Removable sternum strap
- · Grab loops in the sewing structure
- Features polyester construction for maximum protection
- Add mesh light pocket and water-resistant storage pouch
- 3" shoulder straps with ultra-light adjuster / 3" pelvic straps with steel adjusting devices.
- · Clip-in and Bolt-in OPTIONS AVAILABLE

#### STANDARD MEASURES

# 700mm B 550mm C 880mm GROSS WEIGHT 2.87KG

### STANDARD COLORS





# **LITY HARNESSES**






#### ITEM: 0R-502

- 5 point UTV harness with 3 inch belts
- · 3" shoulder straps with steel adjusting devices /3" pelvic straps with steel adjusting devices / 2" crotch straps with tongue.
- · Delivered with bolt-in attachment or snap in with 7/16 UNF eye bolts.
- Easy in and easy out latch and link system
- · Sewn in pads AND Removable sternum strap
- · Grab loops in the sewing structure

#### STANDARD MEASURES





**GROSS WEIGHT** 2.84KG







#### ITEM: RM-501

- · SFI Spec 16.1 Driver Restraint Assemblies Certified.
- · Indications: Sprint Car, Midget Car, Modifieds
- Features polyester construction for maximum protection.
- · Ratchet belts are designed to allow quicker and tighter adjustment of the lap belt for the driver without any assistance.
- Ratchet on left side of 2 inch lap belt with right side of lap belt stationary.
- The ratchet is on the lap belt left side.
- · All wrap around ends except the left side of lap belt (ratchet) is bolt-in. (1/4" hand ratchet wrench/tool not included.)

## STANDARD MEASURES











#### STANDARD COLORS

53001 OR502 BLACK

38

53002 OR502 RED 53008 OR502 ORANGE

53003 OR502 BLUE

53009 OR502 AQUA BLUE 53010 OR502 GREY









53006 OR502 PURPLE 53012 OR502 FLUORESCENT YELLOW 54001 RM501 BLACK 54002 RM501 RED




STANDARD COLORS











54011 RM501 CAMO 54012 RM501 FLUORESCENT YELLOW

53013 OR502 FLUORESCENT GREEN 53014 OR502 FLUORESCENT PINK 53015 OR502 TREE 53016 OR502 CHAMPION

54013 RM501 FLUORESCENT GREEN 54014 RM501 FLUORESCENT PINK 54015 RM501 TREE 54016 RM501 CHAMPION





#### ITEM: RM-502

- · SFI Spec 16.1 Driver Restraint Assemblies Certified.
- · Indications: Sprint Car, Midget Car, Modifieds
- · Features polyester construction for maximum protection.
- · Ratchet belts are designed to allow quicker and tighter adjustment of the lap belt for the driver without any assistance.
- · Ratchet on left side of 3 inch lap belt with right side of lap belt stationary.
- The ratchet is on the lap belt left side.
- . All wrap around ends except the left side of lap belt (ratchet) is bolt-in. (1/4" hand ratchet wrench/tool not included.)

#### STANDARD MEASURES



#### STANDARD COLORS
























4/4/7

An Emergency Locking Retractor (ELR) is a seat belt retractor that locks only in response to the rapid deceleration of a vehicle or rapid spooling out of the seat belt webbing from the retractor.

#### ITEM: TUN-403

- · 4 point seat belt with 48mm belts (ELR system)
- Easy to use automotive push button style latch system.
- 2" shoulder belts (wrap/snap hook fitting) with steel adjusters
- · 2" lap belts with steel adjusters.
- · Delivered with 7/16 UNF eye bolts.

### **STANDARD MEASURES**



GROSS WEIGHT 4.8KG

#### STANDARD COLORS

44001 TUN403 BLACK

## **TUNING HARNESSES**

# BRACING






#### ITEM: TUN-301

- · 3 point static harness with 2" belts.
- · Quick release buckle and ultra-thin webbing.
- · 2" shoulder belts (wrap/snap hook fitting) with steel adjusters.
- · 2"lap belts with steel adjusters.
- · Delivered with bolt in.

#### STANDARD MEASURES





#### ITEM: TUN-401

- · 4 point static harness with 2" belts
- · According to ECE standard
- · Quick release buckle and ultra-thin webbing
- · 2" shoulder belts (wrap/snap hook fitting) with steel adjusters
- · 2" lap belts with steel adjusters.
- · Delivered with 7/16 UNF eye bolts.

#### STANDARD MEASURES



**GROSS WEIGHT** 1.54KG

#### STANDARD COLORS

31001 TUN301 BLACK 31002 TUN301 RED 31003 TUN301 BLUE 31004 TUN301 YELLOW 31005 TUN301 GREEN 31006 TUN301 PURPLE 31007 TUN301 PINK 31008 TUN301 ORANGE 31009 TUN301 AQUA BLUE 31010 TUN301 GREY 31011 TUN301 CAMO 31012 TUN301 FLUORESCENT YELLOW 31013 TUN301 FLUORESCENT GREEN 31014 TUN301 FLUORESCENT PINK 31015 TUN301 TREE 31016 TUN301 CHAMPION

#### STANDARD COLORS

43001 TUN401 BLACK 43002 TUN401 RED 43003 TUN401 BLUE

43004 TUN401 YELLOW 43005 TUN401 GREEN 43006 TUN401 PURPLE

43007 TUN401 PINK 43008 TUN401 ORANGE 43009 TUN401 AQUA BLUE 43010 TUN401 GREY 43011 TUN401 CAMO 43012 TUN401 FLUORESCENT YELLOW 43013 TUN401 FLUORESCENT GREEN 43014 TUN401 FLUORESCENT PINK 43015 TUN401 TREE 43016 TUN401 CHAMPION







#### ITEM: 58-201

- · 2 point seat belt with 48mm width polyester belts
- Adjustable:42" Fixed:18"

20003 SB201 YELLOW

#### STANDARD COLORS

20001 SB201 BLACK 20002 SB201 RED

#### ITEM: 58-202

- · 2 point seat belt with 48mm width polyester belts
- Adjustable:42" Fixed:18"

#### **STANDARD COLORS**

21001 SB202 BLACK 21002 SB202 RED 21003 SB202 YELLOW

#### ITEM: 58-203

- · 2 point seat belt with 48mm width polyester belts
- Fixed:18" Adjustable:42"

#### STANDARD COLORS

22001 SB203 BLACK 22002 SB203 RED 22003 SB203 YELLOW





#### ITEM: 58-204

- · 2 point seat belt with 48mm width polyester belts
- Adjustable:42" Fixed:18"

#### STANDARD COLORS

23001 SB204 BLACK 23002 SB204 RED

23003 SB204 YELLOW

#### ITEM : 58-205

- · 2 point seat belt with 48mm width polyester belts
- Fixed:18" Adjustable:42"

#### STANDARD COLORS

24001 SB205 BLACK 24002 SB205 RED

24003 SB205 YELLOW

Fixed:12"





#### ITEM: 58-6001

- · 2 point seat belt with 48mm width polyester belts
- · Fixed:18" Adjustable:42"

#### STANDARD COLORS

25001 SB6001 BLACK



#### ITEM: 58-7003

- · 2 point seat belt with 48mm width polyester belts
- · Fixed:18" Adjustable:42"

#### STANDARD COLORS

26001 SB7003 BLACK



#### STANDARD COLORS

ITEM: 58-301

30001 SB301 BLACK



#### ITEM: 58-1010

· 3 point seat belt with 48mm width polyester belts

· 3 point seat belt with 48mm width polyester belts

Adjustable:125"

Fixed:12" Adjustable:125"

#### STANDARD COLORS

32001 SB1010 BLACK



## ITEM : 58-1015

- $\cdot \;\;$  3 point seat belt with 48mm width polyester belts
- · Fixed:12" Adjustable:125"

#### STANDARD COLORS

33001 SB1015 BLACK

## **SEAT BELT COMPONENTS**

#### **HARDWARE**



#### **RB-03**

- Rotary buckle with long lever
- · 197 g



BRACING

#### **RB-01**

Rotary buckle with short lever 200 g



#### **RB-02**

- Rotary buckle with round cover
- · 217 g



#### **RB-04**

· Ultra buckle · 230g



## RB-02SM



# RB-04SM





## T-24

- Long tongue
- chromium plating
- flat type • 27 g

#### T-01




- chromium plating flat type
- · 19 g



#### T-01A

- Tongue
- chromium plating
- · 19 g





#### T-01B

- · Tongue Electro deposited
  - coating (EDP) flat type · 19 g



#### T-01AB

- Tongue
- Electro deposited coating (EDP)
- curve type
- · 19 g



T-02

- flat type
- · 30 g



# T-02B

Big tongue Electro deposited coating (EDP) flat type

• 30 g

### T-02AB Big tongue

- Electro deposited coating (EDP) curve type
- · 30 g

### **HARDWARE**



- · 3 inch steel
- adjuster

ADB-02

adjuster

PAT. No 008491112-0001

· 133 g

PAT. D214929

3 inch ultra-light



#### AD-03

· 2 inch steel adjuster

ADB-03

2 inch aluminum

·83 g



#### ADB-01


- 3 inch aluminum adjuster

2 inch superfast

tongue adjuster



T17



· 105 g

PAT. No 007406004-0001



2 inch Steel tongue adjuster

TU2-A

· 2 inch

• 62g

3-bar

curve type

· 92g



#### T25

adjuster 103 g

- 3 inch ultra-light tongue adjuster
- · 153 g

TU3-A

3 inch

· 108g

3-bar

curve type



PAT. D207194

PAT. M593204

· 116 g



#### FB-02A



- 45mm slide bar
- · 42g



#### slide bar

FB-02B

48g



## **BUCKLE DUST RISK IN COMPETITIONS**









The dust cover is made of silicone material.

For the use of BUCKLE, dust and dirt may enter the BUCKLE in special competition situations, causing internal parts to become dirty and unable to be used.







## IMPROVED SELF-CLEANING BUCKLE DESIGN

We have improved this weakness by inserting BUCKLE into the outer layer of BUCKLE in an additional way. Each slot has a self-cleaning function and is also a line of defense before entering the inside of BUCKLE.

## HARDWARE

#### A-01



· 2 inch snap hook





BRACING

· 2 inch snap





snap hook



A-02C

1 inch snap hook 36g







25mm End fitting



#### A-05B

25mm End fitting · 30 g



#### A-06

45mm End fitting

95 g





1 inch snap hook



#### A-08

Soldering plate with a 7/16 thread nut

· 72x72mm • 115g



• 3 inch

bolt-in



## A-02A





· 2 inch

long bolt-in



 2 inch T tongue



 2 inch Ttongue



2 inch superfast adjuster snap on(lever up) · 149g



2 inch superfast adjuster snap on(lever down) • 149g



· 2 inch superfast adjuster bolt in (lever down)



#### A-17L

• 2 inch superfast adjuster bolt in(lever down) ·143g

## **CONCEPT IDEA**

With the latest combination technology, we merge the original two hardware parts into one to achieve a lighter and faster implementation, and use it with an exclusively invented lever to present two ways of use at different angles. achieve rapid adjustment



## INNOVATIVE LEVER DESIGN FOR RAPID ADJUSTMENT





When you press down on the lever, it causes the knurled rod to move, allowing the webbing to be adjusted in length.




When you pull the lever up, it also causes the knurled rod to move, allowing the webbing to be adjusted in length.







**SEAT BELT COMPONENTS** 





## **SEAT BELT COMPONENTS**

## HARDWARE



45mm forged aluminum quick release

Carabiner

stainless

steel

SC-03

· 162 g

· 7/16 UNF long eye bolt

· 113g

T12



• 72g

· 37 g



45mm

aluminum

quick release

- End fitting
  - · 100 g



#### T-23

· 66g

45mm

release

steel quick

Fixed Eye Snap Shackle Size : 35mm(13g) 52mm(43g) 69mm(85g)



## · 7/16 UNF

45mm

90g

aluminum

quick release

eye bolt

- - · 56g

#### **LATCH AND LINK SYSTEM**



and link · 501 g

PAT. 7234011 PAT. D218692

## LB2-FORGED

- · 2" forged latch and link • 508 g
- PAT. 7234011 PAT. D218692





#### T03-L

- · Left tongue
- 60g



- Right tongue
- 60g



#### T04L

- Long crotch tongue
- · 66g





- 2 inch link
- 97g



#### T05A

- · 2 inch latch
- PAT. 7234011 PAT. D218692







#### T07A

- 3 inch latch · 418g
- PAT. 7234011 PAT. D218692



#### T22

- 3 inch long crotch tongue

## **SEAT BELT COMPONENTS**

## RATCHET MECHANISM INTRODUCTION

- For either the left or right side use.
- Ratcheting mechanism for our 16.1 SFI three-inch or two-inch lap
- Getting the belts tight enough in the heat of battle when off-road racing is very difficult.
- C-shaped buckle, as a limit function, to prevent the separation of the central shaft.
- A faster and tighter adjustment of the lap belt without any assistance.
- Capable of withstanding harsh racing conditions and environments such as back-to-back dirt track events or extreme Baja racing.
- Electric black surface treatment, salt spray resistance test
- Double locking design for added safety.
- All kinds of 1/4 inch wrench available.

PAT. D224731





#### RM-02B

- Black finish
- 2 inch ratchet mechanism
- 364g



#### RM-02C

- Chrome finish
- 2 inch ratchet mechanism
- 364g



#### RM-03B

- Black finish
- 3 inch ratchet mechanism
- 427g



#### **RM-03C**

- Chrome finish
- 3 inch ratchet mechanism

#### **RATCHET MECHANISM**



#### RW-01

- 1/4 inch wrench
- · 64g
- 72 tooth



#### RW-02

- 1/4 inch wrench
- · 123g
- 72 tooth



## RW-03

- 1/4 inch wrench
- 185g
- 72 tooth



## RW-04


- · 1/4 inch wrench
- · 69g
- 72 tooth











#### ITEM: RN-01

- In compliance with FIA regulation
- · Triangular assembly
- · With 2 inch superfast adjuster and quick release buckle
- Valid contribution for safety, 1 inch polypropylence webbing

## STANDARD COLORS

78001 RN01 BLACK 78002 RN01 YELLOW

78003 RN01 BLUE

78004 RN01 FLUORESCENT GREEN

## ITEM: RN-02

- · In compliance with SFI regulation
- · Driver Side Net
- · Valid contribution for safety, 1 inch polypropylence webbing

## STANDARD COLORS


81001 RN02 BLACK 81002 RN02 YELLOW

81003 RN02 BLUE

**RN02 FLUORESCENT GREEN** 

## **ACCESSORIES**

#### WINDOW NETS



#### WSY-2100

- · In compliance with sfi regulation
- · Latch style flat bar with flat bar
- Most universal size: 18" x 24"
- · Valid contribution for safety, 1" polypropylene webbing
- · With the best sewing structure
- Manufacturing for consistency

#### STANDARD COLORS

73001 WSY2100 BLACK 73004 WSY2100 YELLOW

BBBB

73002 WSY2100 RED WSY2100 ORANGE 73008 WSY2100 GREY

WSY-2100R

· In compliance with sfi regulation

· Latch style round bar with round

· Most universal size: 18" x 24"

· Valid contribution for safety,

1" polypropylene webbing

· With the best sewing structure

Manufacturing for consistency

73003 WSY2100 BLUE 73005 WSY2100 GREEN 73006 WSY2100 PURPLE

## 75007 WSY2200 ORANGE 75008 WSY2200 GREY

75001 WSY2200 BLACK


BBBB -

A AAA

75002 WSY2200 RED

STANDARD COLORS

75003 WSY2200 BLUE 75004 WSY2200 YELLOW 75005 WSY2200 GREEN 75006 WSY2200 PURPLE



#### WSY-10219

WSY-2200

with round bar

In compliance with sfi regulation

Quick release with push button

Most universal size: 18" x 24"

Valid contribution for safety,

1" polypropylene webbing

With the best sewing structure

Manufacturing for consistency

- · In compliance with sfi regulation
- · Spring loaded pin with flat bar
- Quick release with push button with round bar
- · Most universal size: 18" x 24"
- · Valid contribution for safety, 1" polypropylene webbing
- · With the best sewing structure
- Manufacturing for consistency

#### STANDARD COLORS


74001 WSY2100R BLACK 74002 WSY2100R RED 74003 WSY2100R BLUE 74004 WSY2100R YELLOW 74005 WSY2100R GREEN 74006 WSY2100R PURPLE 74007 WSY2100R ORANGE 74008 WSY2100R GREY

76001 WSY10219 BLACK 76002 WSY10219 RED


STANDARD COLORS

WSY10219 ORANGE 76008 WSY10219 GREY

76003 WSY10219 BLUE 76004 WSY10219 YELLOW 76005 WSY10219 GREEN 76006 WSY10219 PURPLE ITEM: WAB-01



ITEM : W5Y-01



## WINDOW NETS



- Most universal size: 18" x 24".
- SFI 27.1 rating, with SFI tag.
- Valid contribution for safety, 1" polypropylene webbing.
- With the best sewing structure.
- Manufacturing for consistency.

#### STANDARD COLORS

71001 WAB01 BLACK 71002 WAB01 RED 71004 WAB01 YELLOW 71005 WAB01 GREEN 71006 WAB01 PURPLE

71003 WAB01 BLUE

72001 WSY01 BLACK

STANDARD COLORS

72004 WSY01 YELLOW 72007 WSY01 ORANGE 72008 WSY01 GREY

72002 WSY01 RED


72005 WSY01 GREEN 72006 WSY01 PURPLE

72003 WSY01 BLUE

## HELMET NET

71007 WAB01 ORANGE 71008 WAB01 GREY





adjustment buckles and straps.



#### HN-02

Polyester helmet carrying net Suitable for all cars, can hold 2

· Attaches To Roll Cage via adjustment buckles and straps.



## **ACCESSORIES**

## **TUNING PARTS / SEAT BELT BUCKLE**



64























## **SEAT BELT BUCKLE EXTENDER**



























#### ITEM : T5-01

- · The strongest break strength: 2 tons.
- Using length: 30cm
- · Bolt-hole centre ID is 12.5mm.
- · Durable polyester 2" webbing.
- Customized length with all kinds of colors.

#### STANDARD COLORS

77003 TS01 BLUE 77005 TS01 GREEN 77006 TS01 PURPLE TS01 AQUA BLUE 77008 TS01 ORANGE TS01 GREY 77011 TS01 CAMO 77012 TS01 FLUORESCENT YELLOW 77013 TS01 FLUORESCENT GREEN 77014 TS01 FLUORESCENT PINK 77016 TS01 CHAMPION 77015 TS01 TREE

## ARM RESTRAINT



- · In compliance with SFI regulation
- · Set comes in a pair
- · For use Dragster, Midget and Off Road racing.

### AR-D1(ADULT) STANDARD COLOR

79001 AR01 BLACK 79002 AR01 RED 79003 AR01 BLUE

#### AR-02(JUNIOR) STANDARD COLOR

80001 AR02 BLACK 80002 AR02 RED 80003 AR02 BLUE

## **CAM BUCKLE**

#### 3/4"

35mm

#### CB-15

- zinc alloy B/S:120kgs (260lbs)
- · 18g

**SO7** 



- Plastic B/S:100kgs (220lbs)

#### **S**05

- · Zinc alloy B/S:250kgs (550lbs)
- 39g



CB-04L

Frame: steel

S04-1

Steel

141g

B/S:1000kgs

(2200lbs)

cam: zinc+rubber

· Zinc alloy

B/S:350kgs

(770lbs)

### **CB-03**

- Zinc alloy B/S:700kgs (1540lbs)
- · 124g


- · Zinc alloy B/S:550kgs
- (1200lbs) · 48g

### **CB-04**

- Frame: steel cam: zinc alloy B/S:550kgs
- (1200lbs) 89g



- B/S:550kgs (1200lbs)
- · 91g



**SO4** 

- B/S:650kgs (1340lbs)
- 119g



#### \$11 Frame: steel

- cam+gasket: zinc alloy
- B/S:750kgs (1650lbs)
- · 172g

S04-S

Stainless steel

B/S:500kgs



## S05C



- Zinc alloy
- B/S:250kgs (550lbs)
- 45g

#### S03-S



- Frame: steel cam: zinc+rubber
- B/S:500kgs (1100lbs)
- · 122g

\$13



- Stainless steel B/S:450kgs
- (990lbs)
- 66g



(1100lbs) 123g

## **ACCESSORIES**

#### 1.5"

#### **CB-13**

- Frame: steel cam: zinc alloy
- B/S:750kgs (1650lbs)
- · 135g



#### **CB-14**

- Zinc alloy
- B/S:700kgs (1540lbs)
- · 120g



#### S24-S

- Stainless steel B/S:700kgs (1540lbs)
- 89g



#### S12 Frame: steel cam+gasket: zinc alloy B/S:1500kgs (3300lbs) · 248g



1 inch B/S: 500 kgs (1100 lbs)

RATCHET STRAPS



**OVERCENTER BUCKLE** 



#### B03

1 inch Stainless steel B/S: 450 kgs (990 lbs)



#### B04

- 2 inch Stainless steel
- B/S: 650 kgs (1430 lbs)

#### B05

 1 inch B/S: 700 kgs (1540 lbs)



#### B06

- 2 inch
- B/S: 500 kgs (1100 lbs)

#### RATCHET BUCKLE



- 1 inch
- Mini B/S: 800 kgs



#### **S26**

- 1 inch



black soft handle



#### S09-S





## \$10

- 1 inch
- Heavy-duty B/S: 1500 kgs

S21

2 inch

Long Lever

B/S: 5000 kgs



- 1 inch red soft handle
- . B/S: 1200 kgs

### **S22**

- · 2 inch
- B/S: 5000 kgs



#### **S31**





**SA15** 

2 inch

**SA09** 

1 inch

ratchet strap

B/S: 800 kgs

(1760 lbs)





- ratchet strap
- . B/S: 5000 kgs (11000 lbs)



#### RR02

RR01

1 inch retractable

ratchet strap

B/S: 600 kgs

(1300 lbs)

- 2 inch retractable ratchet strap
- B/S: 1500 kgs (3300 lbs)

**RR61** 

18mm retractable

ratchet strap

B/S: 640kgs

(1400lbs)



#### RR03-U

B/S: 200kgs

(440lbs)

RR03-C

ratchet strap

1 inch retractable

- 1 inch retractable ratchet strap
- B/S: 500kgs (1100lbs)



#### **RR67**

- 1.5 inch retractable ratchet strap
- B/S: 1000kgs (2200lbs)



## RR606







- 2 inch
- B/S: 5000 kgs



### **S29**

1.5 inch

black soft handle

B/S: 1800 kgs



- 2 inch
- B/S: 5000 kgs



#### \$30

- 2 inch Long Lever
- . B/S: 5000 kgs



B/S: 300kgs


# **ACCESSORIES**

S hook

· 105g

with spring

### **SPARE TIRE STRAP**


















50mm

O ring

## **ACCESSORIES**

### TIE DOWN STRAPS



### S03- W

BRACING

· 1 inch B/S:350kgs (770 lbs)



### S03P-W

 1 inch B/S:100kgs (220 lbs)



### CB03-W

- 1 inch B/S:550kgs
- (1200lbs)



### S05-W

 1 inch B/S:100kgs

(220lbs)



### S09-W

- 1 inch ratchet
- B/S:900kgs (1900 lbs)



### SH03

- 1 inch
- B/S: 350kgs (770 lbs)



 B/S: 750kgs (1650 lbs)



### SH11

- 1 inch
- CB13LH 1.5 inch B/S: 750KGS (1650 lbs)



### CB04LH

**SH04** 

1 inch

B/S: 650kgs

(1340 lbs)

- 1 inch
- B/S: 550kgs (1200 lbs)







### PD-01 / PD-02

- Customized logo
- · Measures 2 inches and 3 inches in size
- · Set comes in a pair



**SHB03** 

1 inch



82001 PD01 BLACK 82002 PD01 RED 82003 PD01 BLUE





3" STANDARD COLORS

83001 PD02 BLACK 83002 PD02 RED 83003 PD02 BLUE

## ACCESSORIES

### HAND TOOLS





### HT-02

- 14 pieces combination wrench set
- Size: 8~24mm



### HT-03

 18 pieces 1/4 inch socket set



### HT-04

 42 pieces power bits set hardware tools



### HT-05

- 1/2 inch impact socket bit set
- Torx Bit Type: T30,T40, T45,T47,T50,T55,T60,T70
- Hex Bit Type: H6,H7,H8, H10,H12,H14,H17,H19



### HT-06

- 12 inch double head wrench tool
- · Size: 6mm-19mm



### HT-07

 1/4 inch low profile ratchet sockets tool kits





HT-11

 250mm water pump plier














Cladding


## STEERING WHEEL






### ITEM: SW-01


- · Made from high quality leather
- Improves the grip and control of your vehicle
- Provides a more sporty feel to your vehicle
- 5mm thickness



350



Yellow









### STEERING WHEEL









### ITEM: 5W-02


- · Made from high quality leather
- · Improves the grip and control of your vehicle
- Provides a more sporty feel to your vehicle
- 4mm thickness
- · aluminum horn cover

(mm)










### ITEM: SW-03

- · Made from high quality leather
- · Improves the grip and control of your vehicle
- · Provides a more sporty feel to your vehicle
- 4mm thickness
- · aluminum horn cover








- Improves the grip and control of your vehicle
- Provides a more sporty feel to your vehicle
- 4mm thickness
- · aluminum horn cover







### ITEM: SW-05

- · Made from high quality leather
- Improves the grip and control of your vehicle
- Provides a more sporty feel to your vehicle
- · Diameter: 350mm
- 5mm thickness
- · aluminum horn cover





### **ITEM: SW-06**

- · Made from high quality leather
- Improves the grip and control of your vehicle
- Provides a more sporty feel to your vehicle
- · Diameter: 326mm
- 5mm thickness
- · aluminum horn cover

### **BONNET PINS**

80



### STANDARD COLORS



94002 BP02 RED

94003 BP02 BLUE 94004 BP02 SILVER 94005 BP02 PURPLE





### HOOD PINS LOCK CLIP



### STANDARD COLORS

92001 HP01 BLACK

92002 HP01 RED

92003 HP01 BLUE

### 92004 HP01 SILVER

### STEERING WHEEL QUICK RELEASE



### QR-01

- Material: aluminum
- Size: 3.3 inch(D) x 2.56 inch (H)
- · Ball-Lock type mechanism for best locking fit and usability
- Fast detach allows steering wheel to be removed quickly
- Push-pin security feature prevents premature unlocking
- · Compatible with 6-hole steering wheel hub kit



### **QR-02**

- Material: aluminum ` steel
- Size: 25 x 10mm
- · Ball-Lock type mechanism for best locking fit and usability
- · Fast detach allows steering wheel to be removed quickly







### STANDARD COLORS

93001 QR02 RED 93002 QR02 BLUE 93003 QR02 SILVER

### SAFETY HAMMER

### HA-10005

STANDARD COLORS

91001 QR01 BLACK 91002 QR01 RED 91003 QR01 BLUE 91004 QR01 GOLD

· Size: 137(L) x 88(W) x 32(H)mm

Weight: 158 g



· Size: 188(L) x 80(W) x 35(H)mm

· Weight: 200g

### CU-5258

· Material: Plastic Size: 123(L) x

44(W) x 6(H)mm

Weight: 19g

## **SEAT BELT CUTTER**

# BRACING

## **VEHICLE EQUIPMENT**

83

HHB-03

Aluminum

oxide handle

handbrake

63 cm

### SECURITY SWITCH COVER



### SC-02

- Colour : Red / Amber / Green / Blue / White
- · Suits all 15/32"-32thread mounting stem toggle switches









### COUPE-CIRCUIT



### TP-01

- T pull cable
- · Length of mounting: 1.5m / 3m



### S-01

- Fire extinguisher sticker
- Circuit breaker sticker





# RACING CAR SWITCH PANEL



### SP-01

- · 1 aero style switch + 1 push button
- ·Size: 66 x 95 mm



### SP-02

- 3 switches (1 aero style) + 1 push button
- •Size: 125 x 65 mm



### SP-03

- 4 switches (1 aero style) + 1 push button
- Size: 156 x 65 mm

## TOGGLE SWITCH



### TS-02

2 position switch: ON / OFF. · Rating: 25Amps @ 12Volts DC ·Size: Ø12mm



### TS-03

- · LED toggle seitch
- ·LED 4 Colors: Red / Amber / Green / Blue / White
- 2 Position On-Off
- Rating: 20Amps @ 12Volts DC

## PS-02

### · 4 poles switch cut out

· Inside all conducting part use







### PS-03

- · 2 poles switch cut out
- · Inside all conducting part use





### HYDRAULIC HANDBRAKE KIT

### **HHB-01** Aluminum alloy hydraulic

- handbrake
- cylinder inner dia: 0.75" (1.9cm)

95002 HHB01 RED

95004 HHB01 GOLD



STANDARD COLORS

95001 HHB01 BLACK

95003 HHB01 BLUE



### **HHB-02**

- Aluminum alloy hydraulic handbrake
- 50cm



### STANDARD COLORS

HHB02 BLACK 96003 HHB02 BLUE

96002 HHB02 RED 96004 HHB02 GOLD

## STANDARD COLORS

97001 HHB03 BLACK

HHB-05

97002 HHB03 RED 97004 HHB03 GOLD



- hydraulic handbrake 40cm









### STANDARD COLORS

98001 HHB04 BLACK 98002 HHB04 RED 98003 HHB04 BLUE 98004 HHB04 GOLD

98005 HHB04 NEO CHROME

# Aluminum oil hydraulic handbrake · cylinder inner dia:


### STANDARD COLORS

99001 HHB05 SILVER































# Stainless Steel

### FIRE EXTINGUISHER






160



- 4.25L Electrical Rally Car Fire Extinguisher.
- Stainless Steel Type.
- · The kit complies with current FIA and MSA regulations.
- For use in all enclosed cockpit vehicles.
- Dimensions: Cylinder Length 330mm, cylinder diameter 160mm.
- Weight: Complete system 6.2kg.


































# BRACING

## FIRE EXTINGUISHER

86





### ITEM: FE-02

- 4.25L Mechanically Rally Car Fire Extinguisher.
- · Carbon Steel Type.
- · The kit complies with current FIA and MSA regulations
- · For use in saloon cars, rally cars, GT and sports cars.
- · Dimensions: Cylinder Length 330mm, cylinder diameter 160mm
- · Weight: Complete system 8.5kg.



90° connections



Nozzle





### ITEM: FE-03

- · Powder ABC 2Kg extinguisher
- · Steel tank Type
- · The kit complies with Standard BSI EN3
- · For use in caravan car, vehicle , boats, home
- · Dimensions: Cylinder Length 395mm, cylinder diameter 110mm
- · Weight: Complete system 3.75kg











## FIRE EXTINGUISHER





### ITEM: FE-04

- · Racing ABC Fire Extinguishers 1KG.
- · Steel tank Type.
- · The kit complies with Standard BSI EN3
- · For use in caravan car ` vehicle ` boats ` home
- Dimensions: Cylinder Length 280mm, cylinder diameter 85mm
- · Weight: Complete system 1.13kg







## LOAD TESTING PROCEDURES

The load testing procedures for racing seats check their strength and safety under different pressure conditions. These tests simulate real forces like vertical, horizontal, and impact loads to see if the seat can handle the stress during races. The results help ensure the seat meets safety standards.
















### ITEM : R5-01

Α	В	С	D	E	F	G
300	380	490	570	390	880	450


### ITEM : RS-DIW

DIMENSIONS (MM)								
A B C D E F C								
390	450	560	610	460	880	450		
WEIGHT: 10 kg								










## ITEM : RS-03

Α	В	С	D	E	F	G
320	370	500	580	390	930	530










### ITEM : R5-05

DIMENSIONS (MM)								
Α	В	С	D	Е	F	G		
300	370	515	500	400	990	550		

WEIGHT: 16.04 kg





### ITEM: R5-13

· Universal seat mount

	DIMENSIONS (MM)								
Α	В	С	D	Ε	F	G			
360	70	18	75	145	158	10			



### ITEM: RS-06B

• 15inch Racing Aluminum Drag Seat with black coated








### ITEM: RS-06P

· 15inch Racing Aluminum Drag Seat with fabric cover







## 901.7 622.3 203.2 WEIGHT: 4.6 kg

DIMENSIONS (MM)

- · Light weight Aluminum has a density of about 2.7g/cm3, To reduce the overall weight of the vehicle
- · High strength and durability- Aluminum material has a high strength, can withstand the high-strength impact force and pressure generated in the process of racing, to ensure the safety of racers
- · Good corrosion resistance aluminum racing chairs are not easy to rust and corrosion, and always maintain good performance and appearance
- · Excellent heat dissipation Aluminum has good thermal conductivity and can quickly dissipate heat
- · Beauty and texture The surface can be anodized, sprayed and other processing processes to achieve a variety of color and texture effects, to meet the individual needs of different racing teams and drivers



96



Fiber glass

# BRACING

**VEHICLE EQUIPMENT** 


99







MANUFACTURER: TBRACING HOM. NO: FIA STANDARD: 8855-2021





Fiberglass seat shell

· Fireproof fabric seat cover

· With high density foam


· Seat back air holes increase air flow

• Dimensional Embroidery Logo

	EM		<b>G</b> _	N 7	7
ш				<b>-</b> /	

DIMENSIONS (MM)								
A B C D E F								
360	400	540	500	430	930	530		
WEIGHT : 15 kg								






### ITEM : RS-14

· Universal seat mount

**DIMENSIONS (MM)** A B C D E F G 430 95 20 95 196 196 13



# FIA HELMETS MANUFACTURING PROCESS


















Using hot press forming technology to create the basic shell of the helmet.



**AUTOMATED ROBOTIC** 

design specifications

and straps

ARM TRIMMING APPEARANCE

Automated robotic arms trim and

ASSEMBLY LINE Installation of internal components such as lining



**AUTOMATIC SPRAY** PAINTING EQUIPMENT

Automatic spray painting Using specific techniques for cutting and shaping. equipment is used to apply primer



### QUALITY INSPECTION

Undergo strict quality inspections to ensure compliance with safety and quality standards



**LUMINOUS CUTTING** 

APPLY DECAL

Used for adding brand logos or other decorative patterns





Detail spray painting

SPRAY PAINT

### HELMETS

102











### ITEM: HE-01

- · 3/4 HELMET
- · FIA 8859-2015 STANDARD & SNELL SA2015
- · Fiberglass and Kevlar fibers are used to produceour helmets, come with SCHROTH Hansanchors/pins.
- 8 sizes avallabie: 3XS,2XS,XS,S,M,L,XL,XXL
- · Weight: 1600 grams.
- · Color: white & black





- Full HELMET
- · FIA 8859-2015 STANDARD & SNELL SA2015
- · Fiberglass and Kevlar fibers are used to produce our
- · Weight: 1760 grams.

49-50 51-52 53-54 55-56 57-58 59-60 61-62 63-64







### ITEM: HE-02C

- ·Full HELMET
- •FIA 8859-2024 STANDARD & SNELL SA2025
- ·Carbon Compoiste
- ·7 sizes available: 2XS,XS, S, M, L, XL, XXL
- ·Weight: 1760 grams.





### ITEM: HE-D2

- helmets, come with SCHROTH Hansanchors/pins.
- 8 sizes avallabie: 3XS,2XS,XS,S,M,L,XL,XXL
- · Color: white & black

### HELMETS SIZE (CM)

3XS 2XS XS S M L XL 2XL







### ITEM: HE-03EAR



INTERCOM KIT (headphone, microphone, earmuffs)

### ITEM: HE-03

- · 3/4 HELMET with chin boom
- · FIA 8859-2015 STANDARD & SNELL SA2020
- · Fiberglass and Kevlar fibers are used to produce our helmets, come with SCHROTH Hansanchors/pins.
- · Headphones, microphones, and earmuffs can be installed.
- · 8 sizes available: 3XS,2XS,XS, S, M, L, XL, XXL
- · Weight: 1510 grams.
- · Color: white & black





## HELMETS







### ITEM: HE-04

- · Lightweight Composite blend shell
- · In compliance with FIA8859-2024 STANDRED & SA2025
- · 6 sizes available : XS, S, M, L, XL, XXL
- · Weight: 1420 grams.
- · Colour: Black, Matte Black, White

HELMETS SIZE (CM)							
3XS	2XS	XS	S	М	L	XL	2XL
49-50	51-52	53-54	55-56	57-58	59-60	61-62	63-64

ITEM: HE-04C





- ·Carbon Fiber Composite
- •In compliance with FIA8859-2024 STANDRED & SA2025
- ·6 sizes available: XS, S, M, L, XL, XXL
- ·Weight: 1430 grams.

### HELMETS





### ITEM: HE-04T

- · 100% T800 Carbon Fiber Shell
- •In compliance with FIA8859-2024 STANDRED & SA2025
- ·6 sizes available : XS, S, M, L, XL, XXL
- ·Weight: 1335 grams
- ·Colour: Black/Large Weave Carbon Fiber











### ITEM: HE-05

- · 3/4Helmet with chin boom
- FIA 8859-2015 STANDARD & SNELL SA2020
- · Lightweight composite shell
- · Comfortable ear ports for intercom installation
- 7 sizes available: XS, S, M, L, XL, 2XL, 3XL
- · Weight: 1400 grams.
- Color: white & black & silver & orange





## HELMETS







### ITEM: HE-06

- Full HELMET
- · FIA 8859-2015 STANDARD & SNELL SA2020
- · Fiberglass and Kevlar fibers are used to produce our helmets, come with SCHROTH Hansanchors/pins.
- · 7 sizes available: XS, S, M, L, XL, 2XL, 3XL
- · Weight: 1600 grams.
- · Color: white & black & silver & orange



**HELMETS** 





### ITEM: HE-08

- ·Full HELMET
- •FIA 8859-2024 STANDARD & SNELL SA2025
- ·Compoiste
- ·7 sizes available: 2XS,XS, S, M, L, XL, XXL
- ·Weight: 1650grams
- ·Color: white matte black gloss black silver.



### ITEM: HE-07

- Full HELMET
- · FIA 8859-2015 STANDARD & SNELL SA2020
- · Ultra-tough Carbon fibre shell construction
- · 7 sizes available : XS, S, M, L, XL, 2XL, 3XL
- · Weight: 1500 grams.

HELMETS SIZE (CM)										
XS	S	M	L	XL	2XL	3XL				
53-54	55-56	57-58	59-60	61-62	63-64	65-66				







### ITEM: HE-08C

- ·Full HELMET
- •FIA 8859-2024 STANDARD & SNELL SA2025
- ·Carbon Compoiste
- ·7 sizes available: 2XS,XS, S, M, L, XL, XXL
- ·Weight: 1500grams ·Color: black carbon fiber

## HELMETS







### ITEM: HE-09

- ·Full HELMET
- •FIA 8859-2024 STANDARD & SNELL SA2025
- Compoiste
- ·7 sizes available: 2XS,XS, S, M, L, XL, XXL
- ·Weight: 1650 grams
- ·Color: white matte black gloss black silver.







### ITEM: HE-10

- ·Full HELMET
- •FIA 8859-2024 STANDARD & SNELL SA2025
- ·Carbon Compoiste
- ·7 sizes available: 2XS,XS, S, M, L, XL, XXL
- ·Weight: 1550 grams
- ·Color:white.matteblack.glossblack

## HELMETS





### ITEM: HE-11

- ·Full HELMET
- •FIA 8859-2024 STANDARD & SNELL SA2025
- Compoiste
- ·7 sizes available : 2XS,XS, S, M, L, XL, XXL
- ·Weight: 1550grams
- ·Color: white matte black gloss black silver.







### ITEM: HE-12

- ·Full HELMET
- •FIA 8859-2024 STANDARD & SNELL SA2025
- Compoiste
- ·7 sizes available : 2XS,XS, S, M, L, XL, XXL
- ·Weight: 1650grams
- ·Color: white matte black gloss black silver.

# BRACING

## **HELMETS**



## ITEM: HE-13

- ·Full HELMET
- ·SNELL SA2025
- ·Composite blend shell
- ·6 sizes available: XS, S, M, L, XL, XXL
- ·Weight: 1580 grams
- ·Color: Black, Matte Black, White



### ITEM: HE-14

- · Full HELMET
- •FIA 8859-2024 STANDARD & SNELL SA2025
- ·100% Full Carbon Fiber
- ·6 sizes available : XS, S, M, L, XL, XXL
- Weight: 1360gramsColor: Black Carbon Fiber

