TBRACING

TAIWAN BIKE RACK CO., LTD. | www.tbracing.com.tw

No.83, Ln. 61, Xianguang Rd., Xihu Township, Changhua County 51451, Taiwan (R.O.C)

Tel +886-4-881-3634 Fax +886-4-881-3924 mail sales@tbracing.com.tw

Driven by Quality, Designed for Speed

2026 CATALOGUE

Officially Authorized Manufacturer with Professional Expertise

TBRACING

2026 | Performance Racing Products

TBRACING

FIA APPROVED sfi SFI FOUNDATION INC. SNELL FOUNDATION

Professional Supplier of
Racing Parts & Safety Equipment

Performance
Racing Products

014 | HARNESSES
FIA 8853-2016 harness standard
SFI 16.1 specification
SFI 16.5 specification
UTV harnesses
Tuning harnesses
seat belt

058 | SEAT BELT COMPONENTS
Hardware
Latch and link system
Ratchet mechanism

072 | ACCESSORIES
Window net & Helmet net
Tow straps
Arm Restraint
Tie down straps & Spare tire strap
Padding
Hand tools

088 | VEHICLE EQUIPMENT
Steering wheel
Steering wheel quick release
Hood pins lock clip
Coupe-circuit
Hydranlic handbrake
Fire extinguisher
Aluminium Tank
Racing Radiators
Steering Quickener
Racing seat

128 | DRIVER EQUIPMENT
Helmets
Visors

THE COMPANY

Taiwan-based, professional manufacturer

TAIWAN BIKE RACK CO.,LTD (Brand: TBRACING), established in 1995 in Taiwan, wholly-owned operating companies. We are over 25 years of professional manufacturing experience in Taiwan. Our factory has:

6	10	12	5	3	2	1
Stamping line (from 15 tons to 300 tons stamping machine)	Ribbon machine	Sewing machine	Driller	Assembly line	Die casting machine	Laser engraving

TBRACING—an international brand for motorsport safety.

From Asia to the world, we build protection that keeps speed under control—engineered for performance, comfort, and consistency. Our strength is integration: China and Taiwan operate as one flow, one quality system.

In China, our composites division forms precise fiberglass and carbon shells. Helmet shells are cured, CNC-trimmed, and paired with energy-absorbing EPS to meet FIA 8859-2024. Racing seats are reinforced and dimensionally controlled for FIA 8855-2021.

In Taiwan, our harness division engineers 6-point systems. Hardware is stamped and machined, then surface-treated for durability. High-strength webbing is verified, sewing, and proof-loaded as assemblies. We comply with FIA 8853-2016 and SFI 16.1/16.5/16.6, with EU/US patent certifications.

We craft steering wheels with CNC hubs, carbon rims, and hand-stitched suede or leather; electronics and wiring pass continuity and endurance checks.

Validation is visible: helmet impact and penetration; seat static load; harness tensile, flammability, and buckle cycles. Calibrated equipment and traceable reports link every test to a serial number.

Quality is systematic: risk-based IQC, IPQC, and OQC. Control plans stay current. Serialization ties each unit to COAs, parameters, and inspections via ERP; CAPA and 8D drive improvement.

As an OEM/ODM partner for leading brands and pro teams, we deliver rapid engineering, confidential programs, customization, and on-time shipments.

TBRACING—built for speed, certified for safety.

> We are devoted in ODM/OEM service, and provide new technologies, new solutions to customers.

OUR PRODUCTS

TBRACING manufacture precision products, like seat belt hardware and components, FIA & SFI international certification racing seat belts, seat belt buckle, restraint buckle, cam buckle, tie down straps, windows net, and other related safety equipment.

FIA APPROVED	sfi SFI FOUNDATION INC.	ISO 9001:2015	SNELL FOUNDATION
Fia standard 8853-2016	• SFI 16.1 specification	• ISO 9001: 2015	• SNELL SA2025
Fia standard 8854/98	• SFI 16.5 specification		• SNELL SA2020
Fia standard 8855-1999	• SFI 16.6 specification		
Fia standard 8855-2021	• SFI 27.1 specification		
Fia standard 8856-2018			
Fia standard 8859-2024			

Also set up tons of professional test equipment which can make sure. TBRACING 's product are good.

QC SYSTEM

In order to build up a good quality control systems, TBRACING follow

Safe Testing

Our quality inspectors are responsible for inspecting all areas of production from raw material to packing condition.Our team take good care to ensure all components and labeling meet customer require.
The quality of TBRACING products is the result of intensive R&D which allows to achieve the highest levels of performance and safety.

WHY CHOOSE US

Priority
Become one of the good service company is always TBRACING's Priority
TBRACING is customer-oriented service, only provide stable/good quality products and service to clients. In order to reach the customers requirement, we have variety production department line to offer. From the raw material to finished products, we can take good care on each steps.

TBRACING is able to produce and supply safety belts for several different applications.

Manufacturer with global FIA international certification.

Possess the American SFI safety qualitycertification.

Possess patents for new inventions anddesigns in many countries.

Possess professional OEM and ODM capability technology.

Comply with ISO 9001 quality management requirements.

High-quality sales interaction, perfectafter-sales service.

APPLICATIONS

Driven by Quality, Designed for Safety.

HARNESSES

Every belt reflects our racing DNA—crafted with advanced engineering to protect, perform, and push the limits of speed safely.

ULTRA BUCKLE-INTRODUCTION

1. The strongest safety buckle lead in the world!
2. The buckle and crotch tongue are combined into an integrated design to relieve the pressure of drivers wearing safety belts. Moreover, data proves that the strength of the integrated seat belt buckle is better.
3. EU design patent , Taiwan design patent.
4. The new lever can be released more effortlessly and quickly.

PATENT

3

- PAT. No 015010522-0001
- PAT. D226166

- We use the sewn structure to allow more space in the crotch straps area, which can improve comfort and reduce pressure when racers wear safety belts.
- One-piece design, better structural strength, and the webbing can fit the thighs, ergonomic technology.

- We attach an anti-slip pad to the back of the top shoulder strap to increase the anti-slip and make the hans device more stable for racers to wear.

FIA APPROVED

MANUFACTURER: TBRACING
MODEL: ULTRA
HOM NO: SH.104.26-T-6
FIA STANDARD: 8853-2016



Item ULTRA

- FIA approved 8853-2016
- The one-piece sewing structure improves the wearing comfort of racers and reduces pressure.
- New fluorescent color with Ultra-thin and high tension webbing
- NEW patent 2" ultra-light steel adjuster on the shoulder.
- Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- Using the lightweight steel adjusters for a smoother faster and secure adjustment on the lap belts.
- Securing Velcro on shoulder belts.
- Delivered with 7/16 UNF eye bolts.
- Grab loops in the sewing structure on the shoulder and lap side.

Standard Measures

A 500mm B 1400mm C 700mm
D 600mm GROSS WEIGHT 2.16KG

Standard Colors

10001 ULTRA BLACK 10002 ULTRA RED 10003 ULTRA BLUE 10004 ULTRA YELLOW 10005 ULTRA GREEN 10006 ULTRA PURPLE
10007 ULTRA PINK 10008 ULTRA ORANGE 10009 ULTRA AQUA BLUE 10010 ULTRA GREY 10011 ULTRA CAMO 10012 ULTRA FLUORESCENT YELLOW
10013 ULTRA FLUORESCENT GREEN 10014 ULTRA FLUORESCENT PINK 10015 ULTRA TREE 10016 ULTRA CHAMPION

FIA APPROVED

MANUFACTURER: TBRACING
MODEL: ULTRA
HOM NO: SH.104.26-T-6
FIA STANDARD: 8853-2016



Item ULTRA-D

- FIA approved 8853-2016
- The one-piece sewing structure improves the wearing comfort of racers and reduces pressure.
- New fluorescent color with Ultra-thin and high tension webbing
- Superlight printing logo
- Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- Pull down systems.
- NEW patent 2" ultra-light steel adjuster and 2" ultra-light steel tongue adjuster on the shoulder and on the lap strap.
- Using the lightweight steel adjusters for a smoother faster and secure adjustment on the lap belts.
- Securing Velcro on shoulder belts.
- Delivered with 7/16 UNF eye bolts.
- Grab loops in the sewing structure on the shoulder and lap side.

Standard Measures

A 500mm B 1400mm C 700mm
D 600mm GROSS WEIGHT 2.16KG

Standard Colors

11001 ULTRA-D BLACK 11002 ULTRA-D RED 11003 ULTRA-D BLUE 11004 ULTRA-D YELLOW 11005 ULTRA-D GREEN 11006 ULTRA-D PURPLE
11007 ULTRA-D PINK 11008 ULTRA-D ORANGE 11009 ULTRA-D AQUA BLUE 11010 ULTRA-D GREY 11011 ULTRA-D CAMO 11012 ULTRA-D FLUORESCENT YELLOW
11013 ULTRA-D FLUORESCENT GREEN 11014 ULTRA-D FLUORESCENT PINK 11015 ULTRA-D TREE 11016 ULTRA-D CHAMPION

AUTO RETURN BUCKLE-INTRODUCTION

1. Ultralight Patented Auto Return aluminum rotary buckle.217g
2. Ergonomic T bar
3. Accept brand customization (OEM)
4. FIA 8853-2016 Standards compliant
5. Prevent accidental release
6. Quick release with spring ejectors

PATENT



- PAT. 3197144
- PAT. Nr.202015100721.3
- PAT. M583217
- PAT. D208908
- PAT. D213540
- PAT. No 008367833-0001

2"SUPERFAST ADJUSTER-INTRODUCTION

- Exclusive new design patent.
- Handle adjusters can help drivers quickly and easy adjust.
- Superfast adjuster for 2" width webbing.
- Lap strap use superfast tongue adjuster is convenient than general adjuster.

PATENT

- PAT. D207194
- PAT. M593204
- PAT. No 007406004-0001

FIA APPROVED
MANUFACTURER: TBRACING
MODEL: SPORT PLUS
HOM. NO: SH.059.19-T-6
FIA STANDARD: 8853-2016



Item	SPORT PLUS

- FIA approved 8853-2016
- Add the patented elastic band, which fix the webbing on both sides of the racing seat.
- Using the latest light-weight webbing, light-weight steel adjusters for a smoother faster and secure adjustment on the shoulder and lap belts.
- Ultra-thin and high tension webbing with all 2 inches (50mm).
- Securing Velcro on shoulder belts.
- Ergonomically T-tongue designed.
- Delivered with 7/16 UNF eye bolts.
- Grab loops in the sewing structure even when wearing racing gloves.

Standard Measures

A 500mm	B 1400mm	C 700mm	
D 600mm	GROSS WEIGHT	2.28KG	

Standard Colors

60001 SPORT PLUS BLACK
60002 SPORT PLUS RED
60003 SPORT PLUS BLUE
60004 SPORT PLUS YELLOW
60005 SPORT PLUS GREEN
60006 SPORT PLUS PURPLE
60007 SPORT PLUS PINK
60008 SPORT PLUS ORANGE
60009 SPORT PLUS AQUA BLUE
60010 SPORT PLUS GREY
60011 SPORT PLUS CAMO
60012 SPORT PLUS FLUORESCENT YELLOW
60013 SPORT PLUS FLUORESCENT GREEN
60014 SPORT PLUS FLUORESCENT PINK
60015 SPORT PLUS TREE
60016 SPORT PLUS CHAMPION

SPORT PLUS FEATURES

When the driver turn away to release position, lever will be auto return to close position. This is humanitarian design.

TBRACING design the most safety buckle, buckle's lever with slipping protection device (positive and negative 25 degrees) to prevent accidental switch !!

Pull velcro on shoulder belt adjusters can help drivers quickly adjust.

It's easy for using hand loops on the belts to adjust.

Schematic Diagram

Quick release elastic band device, when drivers release the AR buckle, lap straps will quickly release out the racing seat and fix to the seat edge.

For any event which need to change the driver is quite convenient and time saving.

PATENT

■ PAT. M563376
■ PAT. No 007451992-0001

FIA APPROVED
MANUFACTURER: TBRACING
MODEL: SPORT PLUS
HOM. NO: SH.059.19-T-6
FIA STANDARD: 8853-2016



Item SPORT PLUS 2

- FIA approved 8853-2016
- NEW patent 2" superfast adjuster on the shoulder.
- Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- Using the latest lightweight webbing, light-weight steel adjusters for a smoother faster and secure adjustment on the lap belts.
- Ultra-thin and high tension webbing with all 2 inches (50mm)
- Securing Velcro on shoulder belts.
- Ergonomically T-tongue designed.
- Delivered with 7/16 UNF eye bolts.
- Grab loops in the sewing structure on the shoulder and lap side.

Standard Measures

A 500mm	B 1400mm	C 700mm	
D 600mm	GROSS WEIGHT 2.15KG		

Standard Colors

66001 SPORT PLUS 2 BLACK · 66002 SPORT PLUS 2 RED · 66003 SPORT PLUS 2 BLUE · 66004 SPORT PLUS 2 YELLOW · 66005 SPORT PLUS 2 GREEN · 66006 SPORT PLUS 2 PURPLE
66007 SPORT PLUS 2 PINK · 66008 SPORT PLUS 2 ORANGE · 66009 SPORT PLUS 2 AQUA BLUE · 66010 SPORT PLUS 2 GREY · 66011 SPORT PLUS 2 CAMO · 66012 SPORT PLUS 2 FLUORESCENT YELLOW
66013 SPORT PLUS 2 FLUORESCENT GREEN · 66014 SPORT PLUS 2 FLUORESCENT PINK · 66015 SPORT PLUS 2 TREE · 66016 SPORT PLUS 2 CHAMPION

FIA APPROVED
MANUFACTURER: TBRACING
MODEL: SPORT PLUS
HOM. NO: SH.059.19-T-6
FIA STANDARD: 8853-2016

Item SPORT

- FIA approved 8853-2016
- Lightweight aluminum cam lock buckle.
- 2"/3" shoulder belts (wrap/snap hook fitting) with aluminum adjusters.
- Securing Velcro on shoulder belts.
- 3" lap belts with steel adjusters for pull-up system and T-bar crutch straps.
- Delivered with 7/16 UNF eye bolts.

Standard Measures

A 350mm	B 1450mm	C 600mm	
D 650mm	GROSS WEIGHT 2.46KG		

Standard Colors

61001 SPORT BLACK · 61002 SPORT RED · 61003 SPORT BLUE · 61004 SPORT YELLOW · 61005 SPORT GREEN · 61006 SPORT PURPLE
61007 SPORT PINK · 61008 SPORT ORANGE · 61009 SPORT AQUA BLUE · 61010 SPORT GREY · 61011 SPORT CAMO · 61012 SPORT FLUORESCENT YELLOW
61013 SPORT FLUORESCENT GREEN · 61014 SPORT FLUORESCENT PINK · 61015 SPORT TREE · 61016 SPORT CHAMPION

FIA APPROVED

MANUFACTURER: TBRACING
MODEL: SPORT PLUS
HOM. NO: SH.059.19-T-6
FIA STANDARD: 8853-2016



Item SPORT PLUS 3

- FIA approved 8853-2016
- Superlight printing logo
- Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- Pull down systems.
- NEW patent 2" superfast adjuster on the shoulder.
- NEW patent 2" superfast tongue adjuster on the lap strap.
- Using the latest lightweight webbing, lightweight steel adjusters for a smoother faster and secure adjustment on the lap belts.
- Ultra-thin and high tension webbing with all 2 inches (50mm)
- Securing Velcro on shoulder belts.
- Ergonomically T-tongue designed.
- Delivered with 7/16 UNF eye bolts.
- Grab loops in the sewing structure on the shoulder and lap side.

Standard Measures

A 500mm	B 1400mm	C 700mm	
D 600mm	GROSS WEIGHT	2.35KG	

Standard Colors

67001 SPORT PLUS 3 BLACK
67002 SPORT PLUS 3 RED
67003 SPORT PLUS 3 BLUE
67004 SPORT PLUS 3 YELLOW
67005 SPORT PLUS 3 GREEN
67006 SPORT PLUS 3 PURPLE
67007 SPORT PLUS 2 PINK
67008 SPORT PLUS 2 ORANGE
67009 SPORT PLUS 3 AQUA BLUE
67010 SPORT PLUS 3 GREY
67011 SPORT PLUS 3 CAMO
67012 SPORT PLUS 3 FLUORESCENT YELLOW
67013 SPORT PLUS 2 FLUORESCENT GREEN
67014 SPORT PLUS 3 FLUORESCENT PINK
67015 SPORT PLUS 3 TREE
67016 SPORT PLUS 3 CHAMPION

The preferred racing harness for world rally championship,
rally racing,drag racing, formula car, touring car racing, le mans prototype racing.

FIA APPROVED

MANUFACTURER: TBRACING
MODEL: SPORT PLUS
HOM. NO: SH.059.19-T-6
FIA STANDARD: 8853-2016

Item SPORT PLUS 4

- FIA approved 8853-2016
- New printing webbing with Ultra-thin and high tension webbing.
- Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- 2"/3" shoulder straps (FHR systems)with 3" Ultra-light adjuster
- Pull down systems
- NEW patent 2"superfast tongue adjuster on the lap strap.
- Securing Velcro on shoulder belts.
- Ergonomically T-tongue designed.
- Delivered with bolt-in attachments.
- Grab loops in the sewing structure on the shoulder and lap side.

Standard Measures

A 350mm	B 1350mm	C 700mm	
D 600mm	GROSS WEIGHT	2.30KG	

Standard Colors

12001 SPORT PLUS 4 BLACK · 12002 SPORT PLUS 4 RED · 12003 SPORT PLUS 4 BLUE · 12004 SPORT PLUS 4 YELLOW · 12005 SPORT PLUS 4 GREEN · 12006 SPORT PLUS 4 PURPLE
12007 SPORT PLUS 4 PINK · 12008 SPORT PLUS 4 ORANGE · 12009 SPORT PLUS 4 AQUA BLUE · 12010 SPORT PLUS 4 GREY · 12011 SPORT PLUS 4 CAMO · 12012 SPORT PLUS 4 FLUORESCENT YELLOW
12013 SPORT PLUS 4 FLUORESCENT GREEN · 12014 SPORT PLUS 4 FLUORESCENT PINK · 12015 SPORT PLUS 4 TREE · 12016 SPORT PLUS 4 CHAMPION

FIA APPROVED

MANUFACTURER: TBRACING
MODEL: SPORT PLUS
HOM. NO: SH.059.19-T-6
FIA STANDARD: 8853-2016



Item SPORT PLUS 5

- FIA approved 8853-2016
- New printing webbing with Ultra-thin and high tension webbing.
- Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- 2"/3" shoulder straps (FHR systems)with 3" Ultra-light adjuster
- Pull up systems
- Securing Velcro on shoulder belts.
- Ergonomically T-tongue designed.
- Delivered with bolt-in attachments.
- Grab loops in the sewing structure on the shoulder and lap side.

Standard Measures

A 350mm	B 1350mm	C 700mm	
D 600mm	GROSS WEIGHT	2.30KG	

Standard Colors

13001 SPORT PLUS 5 BLACK · 13002 SPORT PLUS 5 RED · 13003 SPORT PLUS 5 BLUE · 13004 SPORT PLUS 5 YELLOW · 13005 SPORT PLUS 5 GREEN · 13006 SPORT PLUS 5 PURPLE
13007 SPORT PLUS 5 PINK · 13008 SPORT PLUS 5 ORANGE · 13009 SPORT PLUS 5 AQUA BLUE · 13010 SPORT PLUS 5 GREY · 13011 SPORT PLUS 5 CAMO · 13012 SPORT PLUS 5 FLUORESCENT YELLOW
13013 SPORT PLUS 5 FLUORESCENT GREEN · 13014 SPORT PLUS 5 FLUORESCENT PINK · 13015 SPORT PLUS 5 TREE · 13016 SPORT PLUS 5 CHAMPION

FIA APPROVED
MANUFACTURER: TBRACING
MODEL: SPORT
HOM. NO: SFI.002.16-T-6
FIA STANDARD: 8853-2016

sfi SFI FOUNDATION INC.
SFI 16.1 certified.

Item SPORT-S

- FIA approved 8853-2016 and SFI Spec 16.1 Certified.
- Light weight aluminum cam lock buckle.
- 2"/3" shoulder straps (FHR systems) with steel adjusters.
- 3" pelvic straps with steel adjusters pull-up.
- 2" crotch straps with T tongue.
- Snap hook with UNF 7/16 eye bolt screw and safety pin.
- Securing Velcro on shoulder belts.

Standard Measures

A 350mm B 1350mm C 600mm
D 550mm GROSS WEIGHT 2.54KG

Standard Colors

62001 SPORT-S BLACK
62002 SPORT-S RED
62003 SPORT-S BLUE
62004 SPORT-S YELLOW
62005 SPORT-S GREEN
62006 SPORT-S PURPLE
62007 SPORT-S PINK
62008 SPORT-S ORANGE
62009 SPORT-S AQUA BLUE
62010 SPORT-S GREY
62011 SPORT-S CAMO
62012 SPORT-S FLUORESCENT YELLOW
62013 SPORT-S FLUORESCENT GREEN
62014 SPORT-S FLUORESCENT PINK
62015 SPORT-S TREE
62016 SPORT-S CHAMPION

FIA APPROVED
MANUFACTURER: TBRACING
MODEL: SPORT
HOM. NO: SFI.002.16-T-6
FIA STANDARD: 8853-2016

Item ECO

- FIA approved 8853-2016
- Lightweight aluminum cam lock buckle.
- 3" shoulder straps with steel adjusters.
- 3" pelvic straps with steel adjusters pull-up.
- 2" crotch straps with T tongue.
- Snap hook with UNF 7/16 eye bolt screw and safety pin.
- Securing Velcro on shoulder belts.

Standard Measures

A 350mm B 1350mm C 600mm
D 550mm GROSS WEIGHT 2.68KG

Standard Colors

63001 ECO BLACK
63002 ECO RED
63003 ECO BLUE
63004 ECO YELLOW
63005 ECO GREEN
63006 ECO PURPLE
63007 ECO PINK
63008 ECO ORANGE
63009 ECO AQUA BLUE
63010 ECO GREY
63011 ECO CAMO
63012 ECO FLUORESCENT YELLOW
63013 ECO FLUORESCENT GREEN
63014 ECO FLUORESCENT PINK
63015 ECO TREE
63016 ECO CHAMPION

FIA APPROVED

MANUFACTURER: TBRACING
MODEL: SPORT
HOM. NO: SH.802.16-T-6
FIA STANDARD: 8853-2016



Item ECO-A

- FIA approved 8853-2016
- Lightweight aluminum cam lock buckle.
- 3" shoulder straps with aluminum adjusters.
- 3" pelvic straps with steel adjusters pull-up.
- 2" crotch straps with T tongue.
- Snap hook with UNF 7/16 eye bolt screw and safety pin.
- Securing Velcro on shoulder belts.

Standard Measures

A 350mm	B 1350mm	C 600mm	
D 550mm	GROSS WEIGHT	2.62KG	

Standard Colors

64001 ECO-A BLACK
64002 ECO-A RED
64003 ECO-A BLUE
64004 ECO-A YELLOW
64005 ECO-A GREEN
64006 ECO-A PURPLE
64007 ECO-A PINK
64008 ECO-A ORANGE
64009 ECO-A AQUA BLUE
64010 ECO-A GREY
64011 ECO-A CAMO
64012 ECO-A FLUORESCENT YELLOW
64013 ECO-A FLUORESCENT GREEN
64014 ECO-A FLUORESCENT PINK
64015 ECO-A TREE
64016 ECO-A CHAMPION

FIA APPROVED

MANUFACTURER: TBRACING
MODEL: SPORT
HOM. NO: SH.802.16-T-6
FIA STANDARD: 8853-2016

Item ECO-D

- FIA approved 8853-2016
- Pull down systems
- Lightweight aluminum cam lock buckle.
- 3" shoulder straps with steel adjusters.
- 3" pelvic straps with steel adjusters pull-down.
- 2" crotch straps with T tongue.
- Snap hook with UNF 7/16 eyebolt screw and safety pin.
- Securing Velcro on shoulder belts.

Standard Measures

A 350mm	B 1350mm	C 600mm	
D 550mm	GROSS WEIGHT	2.68KG	

Standard Colors

69001 ECO-D BLACK
69002 ECO-D RED
69003 ECO-D BLUE
69004 ECO-D YELLOW
69005 ECO-D GREEN
69006 ECO-D PURPLE
69007 ECO-D PINK
69008 ECO-D ORANGE
69009 ECO-D AQUA BLUE
69010 ECO-D GREY
69011 ECO-D CAMO
69012 ECO-D FLUORESCENT YELLOW
69013 ECO-D FLUORESCENT GREEN
69014 ECO-D FLUORESCENT PINK
69015 ECO-D TREE
69016 ECO-D CHAMPION

SFI FOUNDATION INC.

SFI 16.1 certified.

Item SF-501

- SFI Spec 16.1 Driver Restraint Assemblies Certified.
- Indications: Jr. Dragsters and Quarter Midgets.
- Features polyester construction for maximum protection.
- 3" shoulder straps with steel adjusting devices / 3" pelvic straps with steel adjusting devices / 2" crotch straps with tongue.
- Delivered with bolt-in attachment or snap in with 7/16 UNF eye bolts.
- Adjuster include anti-slip spring.
- Pull-down systems.

Standard Measures

A 1510mm B 400mm C 650mm
D 600mm GROSS WEIGHT 2.84KG

Standard Colors

50001 SF501 BLACK 50002 SF501 RED 50003 SF501 BLUE 50004 SF501 YELLOW 50005 SF501 GREEN 50006 SF501 PURPLE
50007 SF501 PINK 50008 SF501 ORANGE 50009 SF501 AQUA BLUE 50010 SF501 GREY 50011 SF501 CAMO 50012 SF501 FLUORESCENT YELLOW
50013 SF501 FLUORESCENT GREEN 50014 SF501 FLUORESCENT PINK 50015 SF501 TREE 50016 SF501 CHAMPION

SFI FOUNDATION INC.

SFI 16.1 certified.



Item SF-502

- SFI Spec 16.1 Driver Restraint Assemblies Certified.
- Indications: NHRA or Drag Racing.
- Features polyester construction for maximum protection.
- 3" shoulder straps with steel adjusting devices / 3" pelvic straps with steel adjusting devices / 2" crotch straps with tongue.
- Delivered with bolt-in attachment or snap in with 7/16 UNF eye bolts.
- Adjuster include anti-slip spring.
- Pull-down systems.

Standard Measures

A 1510mm B 380 mm C 1550mm
D 600mm GROSS WEIGHT 2.96KG

Standard Colors

51001 SF502 BLACK 51002 SF502 RED 51003 SF502 BLUE 51004 SF502 YELLOW 51005 SF502 GREEN 51006 SF502 PURPLE
51007 SF502 PINK 51008 SF502 ORANGE 51009 SF502 AQUA BLUE 51010 SF502 GREY 51011 SF502 CAMO 51012 SF502 FLUORESCENT YELLOW
51013 SF502 FLUORESCENT GREEN 51014 SF502 FLUORESCENT PINK 51015 SF502 TREE 51016 SF502 CHAMPION

sfi SFI FOUNDATION INC.

SFI 16 1 certified



Item SF-601

- SFI Spec 16.1 Driver Restraint Assemblies Certified.
- Lightweight aluminum alloy cam buckle.
- Features polyester construction for maximum protection.
- 3" shoulder straps with steel adjusting devices / 3" pelvic straps with steel adjusting devices / 2" crotch straps with tongue.
- Delivered with bolt-in attachment or snap in with 7/16 UNF eye bolts.
- Pull- down systems.

Standard Measures

A 1310mm	B 380mm	C 820mm	
D 1350mm	GROSS WEIGHT 2.88KG		

Standard Colors

65001 SF601 BLACK | 65002 SF601 RED | 65003 SF601 BLUE | 65004 SF601 YELLOW | 65005 SF601 GREEN | 65006 SF601 PURPLE
65007 SF601 PINK | 65008 SF601 ORANGE | 65009 SF601 AQUA BLUE | 65010 SF601 GREY | 65011 SF601 CAMO | 65012 SF601 FLUORESCENT YELLOW
65013 SF601 FLUORESCENT GREEN | 65014 SF601 FLUORESCENT PINK | 65015 SF601 TREE | 65016 SF601 CHAMPION

sfi SFI FOUNDATION INC.

SFI 16.5 certified.

Item SF-602

- SFI Specification 16.5 Stock Car Driver Restraint Assemblies Certified.
- Add the patented elastic band, which help the belts quick release, and easy let driver get in the seat.
- 3" Ultra-light adjuster on the shoulder.
- Pull down systems.
- NEW patent 2" superfast tongue adjuster on the lap strap.
- Securing Velcro on shoulder belts.
- Ergonomically T-tongue designed.
- Delivered with bolt-in attachments.
- 1" Grab loops in the sewing structure on the shoulder and lap side.

Standard Measures

A 1350mm	B 350mm	C 700mm	
D 600mm	GROSS WEIGHT 2.24KG		

Standard Colors

68001 SF602 BLACK | 68002 SF602 RED | 68003 SF602 BLUE | 68004 SF602 YELLOW | 68005 SF602 GREEN | 68006 SF602 PURPLE
68007 SF602 PINK | 68008 SF602 ORANGE | 68009 SF602 AQUA BLUE | 68010 SF602 GREY | 68011 SF602 CAMO | 68012 SF602 FLUORESCENT YELLOW
68013 SF602 FLUORESCENT GREEN | 68014 SF602 FLUORESCENT PINK | 68015 SF602 TREE | 68016 SF602 CHAMPION



Item TUN-402

- 4 point harness with 2 inch belts.
- Easy to use automotive push button style latch system.
- The shoulder pads that stop chaffing on the neck and adds extra comfort.
- Easy installation using seat belt mounting points and black hardware.
- Pull- down systems.

Standard Measures

A 740mm B 580 mm C 880mm

GROSS WEIGHT 1.66KG

Standard Colors

40001 TUN402 BLACK 40002 TUN402 RED 40003 TUN402 BLUE 40004 TUN402 YELLOW 40005 TUN402 GREEN 40006 TUN402 PURPLE
40007 TUN402 PINK 40008 TUN402 ORANGE 40009 TUN402 AQUA BLUE 40010 TUN402 GREY 40011 TUN402 CAMO 40012 TUN402 FLUORESCENT YELLOW
40013 TUN402 FLUORESCENT GREEN 40014 TUN402 FLUORESCENT PINK 40015 TUN402 TREE 40016 TUN402 CHAMPION



Item TUN-402CG

- 4 point harness with 2 inch belts. Auto buckle
- Easy to use automotive push button style latch system.
- Remove the GEL padding and throw them in the wash so they are fresh for your next ride.
- New technology: Cooling GEL padding , 0 degrees without freezing, detachable, extremely comfortable body feeling
- Easy installation using seat belt mounting points and black hardware.
- Pull- down systems.

Standard Measures

A 740mm B 580 mm C 880mm

GROSS WEIGHT 2.26KG

Standard Colors

46001 TUN402CG BLACK 46002 TUN402CG RED 46003 TUN402CG BLUE 46004 TUN402CG YELLOW 46005 TUN402CG GREEN 46006 TUN402CG PURPLE
46007 TUN402CG PINK 46008 TUN402CG ORANGE 46009 TUN402CG AQUA BLUE 46010 TUN402CG GREY 46011 TUN402CG CAMO 46012 TUN402CG FLUORESCENT YELLOW
46013 TUN402CG FLUORESCENT GREEN 46014 TUN402 FLUORESCENT PINK 46015 TUN402CG TREE 46016 TUN402CG CHAMPION



Item SF-401

- Indications: UTV or other off-road vehicle-not replacement for FMVSS 209 restraints.
- Easy in and easy out latch and link system
- Sewn in pads AND Removable sternum strap
- Features polyester construction for maximum protection
- 3" shoulder straps with steel adjusting devices / 3" pelvic straps with steel adjusting devices.
- Clip-in and Bolt-in OPTIONS AVAILABLE

Standard Measures

A 700mm B 550mm C 880mm

GROSS WEIGHT 2.44KG

Standard Colors

41001 SF401 BLACK 41002 SF401 RED 41003 SF401 BLUE 41004 SF401 YELLOW 41005 SF401 GREEN 41006 SF401 PURPLE
41007 SF401 PINK 41008 SF401 ORANGE 41009 SF401 AQUA BLUE 41010 SF401 GREY 41011 SF401 CAMO 41012 SF401 FLUORESCENT YELLOW
41013 SF401 FLUORESCENT GREEN 41014 SF401 FLUORESCENT PINK 41015 SF401 TREE 41016 SF401 CHAMPION

Item OR-401

- Indications: UTV or other off-road vehicle-not replacement for FMVSS 209 restraints.
- Easy in and easy out latch and link system
- Sewn in pads AND Removable sternum strap
- Grab loops in the sewing structure
- Features polyester construction for maximum protection
- 3" shoulder straps with aluminum adjusting devices / 3" pelvic straps with steel adjusting devices.
- Clip-in and Bolt-in OPTIONS AVAILABLE

Standard Measures

A 700mm B 550 mm C 880mm

GROSS WEIGHT 2.36KG

Standard Colors

42001 OR401 BLACK 42002 OR401 RED 42003 OR401 BLUE 42004 OR401 YELLOW 42005 OR401 GREEN 42006 OR401 PURPLE
42007 OR401 PINK 42008 OR401 ORANGE 42009 OR401 AQUA BLUE 42010 OR401 GREY 42011 OR401 CAMO 42012 OR401 FLUORESCENT YELLOW
42013 OR401 FLUORESCENT GREEN 42014 OR401 FLUORESCENT PINK 42015 OR401 TREE 42016 OR401 CHAMPION



Item OR-402

- Indications: UTV or other off-road vehicle-not replacement for FMVSS 209 restraints.
- Easy in and easy out latch and link system
- Sewn in pads AND Removable sternum strap
- Grab loops in the sewing structure
- Features polyester construction for maximum protection
- 2" shoulder straps with steel adjusting devices / 2" pelvic straps with steel adjusting devices.
- Clip-in and Bolt-in OPTIONS AVAILABLE

Standard Measures

A 700mm B 550mm C 880mm

GROSS WEIGHT 1.76KG

Standard Colors

45001 OR402 BLACK 45002 OR402 RED 45003 OR402 BLUE 45004 OR402 YELLOW 45005 OR402 GREEN 45006 OR402 PURPLE
45007 OR402 PINK 45008 OR402 ORANGE 45009 OR402 AQUA BLUE 45010 OR402 GREY 45011 OR402 CAMO 45012 OR402 FLUORESCENT YELLOW
45013 OR402 FLUORESCENT GREEN 45014 OR402 FLUORESCENT PINK 45015 OR402 TREE 45016 OR402 CHAMPION

Item OR-501

- 5 point UTV harness with 2 inch belts
- 2" shoulder straps with steel adjusting devices / 2" pelvic straps with steel adjusting devices / 2" crotch straps with tongue.
- Delivered with bolt-in attachment or snap in with 7/16 UNF eye bolts.
- Easy in and easy out latch and link system
- Sewn in pads AND Removable sternum strap
- Grab loops in the sewing structure

Standard Measures

A 660mm B 630mm C 880mm

D 600mm GROSS WEIGHT 2.22KG

Standard Colors

52001 OR501 BLACK 52002 OR501 RED 52003 OR501 BLUE 52004 OR501 YELLOW 52005 OR501 GREEN 52006 OR501 PURPLE
52007 OR501 PINK 52008 OR501 ORANGE 52009 OR501 AQUA BLUE 52010 OR501 GREY 52011 OR501 CAMO 52012 OR501 FLUORESCENT YELLOW
52013 OR501 FLUORESCENT GREEN 52014 OR501 FLUORESCENT PINK 52015 OR501 TREE 52016 OR501 CHAMPION

Item OR-401LP

- Indications: UTV or other off-road vehicle-not replacement for FMVSS 209 restraints.
- Easy in and easy out latch and link system
- Sewn in pads AND Removable sternum strap
- Grab loops in the sewing structure
- Features polyester construction for maximum protection
- Add mesh light pocket and water-resistant storage pouch
- 3" shoulder straps with ultra-light adjuster / 3" pelvic straps with steel adjusting devices.
- Clip-in and Bolt-in OPTIONS AVAILABLE

Standard Measures

A 700mm B 550mm C 880mm

GROSS WEIGHT 2.87KG

Standard Colors

47001 OR401LP BLACK 47002 OR401LP RED 47003 OR401LP BLUE 47004 OR401LP YELLOW 47005 OR401LP GREEN 47006 OR401LP PURPLE
47007 OR401LP PINK 47008 OR401LP ORANGE 47009 OR401LP AQUA BLUE 47010 OR401LP GREY 47011 OR401LP CAMO 47012 OR401LP FLUORESCENT YELLOW
47013 OR401LP FLUORESCENT GREEN 47014 OR401LP FLUORESCENT PINK 47015 OR401LP TREE 47016 OR401LP CHAMPION

SFI FOUNDATION INC.

SFI 16.1 certified.

Item OR-502

- 5 point UTV harness with 3 inch belts
- 3" shoulder straps with steel adjusting devices / 3" pelvic straps with steel adjusting devices / 2" crotch straps with tongue.
- Delivered with bolt-in attachment or snap in with 7/16 UNF eye bolts.
- Easy in and easy out latch and link system
- Sewn in pads AND Removable sternum strap
- Grab loops in the sewing structure

Standard Measures

A 730mm B 580mm C 830mm

D 600mm GROSS WEIGHT 2.84KG

Standard Colors

53001 OR502 BLACK 53002 OR502 RED 53003 OR502 BLUE 53004 OR502 YELLOW 53005 OR502 GREEN 53006 OR502 PURPLE
53007 OR502 PINK 53008 OR502 ORANGE 53009 OR502 AQUA BLUE 53010 OR502 GREY 53011 OR502 CAMO 53012 OR502 FLUORESCENT YELLOW
53013 OR502 FLUORESCENT GREEN 53014 OR502 FLUORESCENT PINK 53015 OR502 TREE 53016 OR502 CHAMPION

SFI FOUNDATION INC.

SFI 16.1 certified.

Item RM-501

- SFI Spec 16.1 Driver Restraint Assemblies Certified.
- Indications: Sprint Car, Midget Car, Modifieds
- Features polyester construction for maximum protection.
- Ratchet belts are designed to allow quicker and tighter adjustment of the lap belt for the driver without any assistance.
- Ratchet on left side of 2 inch lap belt with right side of lap belt stationary.
- The ratchet is on the lap belt left side.
- All wrap around ends except the left side of lap belt (ratchet) is bolt-in.
  (1/4" hand ratchet wrench/tool not included.)

Standard Measures

A 1510mm B 400mm C 650mm
D 600mm GROSS WEIGHT 2.77KG

Standard Colors

54001 RM501 BLACK 54002 RM501 RED 54003 RM501 BLUE 54004 RM501 YELLOW 54005 RM501 GREEN 54006 RM501 PURPLE
54007 RM501 PINK 54008 RM501 ORANGE 54009 RM501 AQUA BLUE 54010 RM501 GREY 54011 RM501 CAMO 54012 RM501 FLUORESCENT YELLOW
54013 RM501 FLUORESCENT GREEN 54014 RM501 FLUORESCENT PINK 54015 RM501 TREE 54016 RM501 CHAMPION

SFI FOUNDATION INC.

SFI 16.1 certified.



Item RM-502

- SFI Spec 16.1 Driver Restraint Assemblies Certified.
- Indications: Sprint Car, Midget Car, Modifieds
- Features polyester construction for maximum protection.
- Ratchet belts are designed to allow quicker and tighter adjustment of the lap belt for the driver without any assistance.
- Ratchet on left side of 3 inch lap belt with right side of lap belt stationary.
- The ratchet is on the lap belt left side.
- All wrap around ends except the left side of lap belt (ratchet) is bolt-in.
  (1/4" hand ratchet wrench/tool not included.)

Standard Measures

A 1510mm B 400mm C 650mm
D 600mm GROSS WEIGHT 2.83KG

Standard Colors

55001 RM502 BLACK 55002 RM502 RED 55003 RM502 BLUE 55004 RM502 YELLOW 55005 RM502 GREEN 55006 RM502 PURPLE
55007 RM502 PINK 55008 RM502 ORANGE 55009 RM502 AQUA BLUE 55010 RM502 GREY 55011 RM502 CAMO 55012 RM502 FLUORESCENT YELLOW
55013 RM502 FLUORESCENT GREEN 55014 RM502 FLUORESCENT PINK 55015 RM502 TREE 55016 RM502 CHAMPION

Item KINDERPILOT

- Developed specifically for children's karts and mini cross-karts, with geometry sized for young drivers.
- 50 mm high-strength webbing that distributes load comfortably over small shoulders and hips.
- Patent rotary buckle for quick, intuitive central release.
- Short strap lengths and wide adjustment range so the harness can grow with the driver.
- The crotch straps use new technology hardware for easier and faster installation, and is equipped with a uniquely developed lever for quick adjustment at different angles.

Standard Measures

A 700mm B 340mm C 345mm
D 345mm GROSS WEIGHT 1.5KG

Standard Colors

56001 KID BLACK
56002 KID RED
56003 KID BLUE
56004 KID YELLOW
56005 KID GREEN
56006 KID PURPLE
56007 KID PINK
56008 KID ORANGE
56009 KID AQUA BLUE
56010 KID GREY
56011 KID CAMO
56012 KID FLUORESCENT YELLOW
56013 KID FLUORESCENT GREEN
56014 KID FLUORESCENT PINK
56015 KID TREE
56016 KID CHAMPION

Item TUN-403

- 4 point seat belt with 48mm belts (ELR system)
- Easy to use automotive push button style latch system.
- 2" shoulder belts (wrap/snap hook fitting) with steel adjusters
- 2" lap belts with steel adjusters.
- Delivered with 7/16 UNF eye bolts.

An Emergency Locking Retractor (ELR) is a seat belt retractor that locks only in response to the rapid deceleration of a vehicle or rapid spooling out of the seat belt webbing from the retractor.

Standard Measures

A 1800mm B 425mm C 560mm
GROSS WEIGHT 4.8KG

Standard Colors

44001 TUN403 BLACK

Item	TUN-301

- 3 point static harness with 2" belts.
- Quick release buckle and ultra-thin webbing.
- 2" shoulder belts (wrap/snap hook fitting) with steel adjusters.
- 2"lap belts with steel adjusters.
- Delivered with bolt in.

Standard Measures

A 950mm B 550mm C 430mm
D 550mm GROSS WEIGHT 1.34KG

Standard Colors

31001 TUN301 BLACK 31002 TUN301 RED 31003 TUN301 BLUE 31004 TUN301 YELLOW 31005 TUN301 GREEN 31006 TUN301 PURPLE
31007 TUN301 PINK 31008 TUN301 ORANGE 31009 TUN301 AQUA BLUE 31010 TUN301 GREY 31011 TUN301 CAMO 31012 TUN301 FLUORESCENT YELLOW
31013 TUN301 FLUORESCENT GREEN 31014 TUN301 FLUORESCENT PINK 31015 TUN301 TREE 31016 TUN301 CHAMPION

Item	TUN-401

- 4 point static harness with 2" belts
- According to ECE standard
- Quick release buckle and ultra-thin webbing
- 2" shoulder belts (wrap/snap hook fitting) with steel adjusters
- 2" lap belts with steel adjusters.
- Delivered with 7/16 UNF eye bolts.

Standard Measures

A 1350mm B 425mm C 560mm
GROSS WEIGHT 1.54KG

Standard Colors

43001 TUN401 BLACK 43002 TUN401 RED 43003 TUN401 BLUE 43004 TUN401 YELLOW 43005 TUN401 GREEN 43006 TUN401 PURPLE
43007 TUN401 PINK 43008 TUN401 ORANGE 43009 TUN401 AQUA BLUE 43010 TUN401 GREY 43011 TUN401 CAMO 43012 TUN401 FLUORESCENT YELLOW
43013 TUN401 FLUORESCENT GREEN 43014 TUN401 FLUORESCENT PINK 43015 TUN401 TREE 43016 TUN401 CHAMPION

Shoulder Belt

1 Velcro

2 1" Loop Straps

option color

Shoulder Logo

1 Printing Logo

2 Woven Logo

3 Dimensional Embroidery Logo

Hand Loop

1 Hand Loops

option color

2 1" Pull Straps

option color

Standard Color

2 POINT SEAT BELT

Item SB-201

- 2 point seat belt with 48mm width polyester belts
- Fixed:18" Adjustable:42"

Standard Color

20001 SB201 BLACK 20002 SB201 RED
20003 SB201 YELLOW

Item SB-202

- 2 point seat belt with 48mm width polyester belts
- Fixed:18" Adjustable:42"

Standard Color

21001 SB202 BLACK 21002 SB202 RED
21003 SB202 YELLOW

Item SB-203

- 2 point seat belt with 48mm width polyester belts
- Fixed:18" Adjustable:42"

Standard Color

22001 SB203 BLACK 22002 SB203 RED
22003 SB203 YELLOW

Item SB-204

- 2 point seat belt with 48mm width polyester belts
- Fixed:18" Adjustable:42"

Standard Color

23001 SB204 BLACK 23002 SB204 RED
23003 SB204 YELLOW

Item SB-205

- 2 point seat belt with 48mm width polyester belts
- Fixed:18" Adjustable:42"

Standard Color

24001 SB205 BLACK 24002 SB205 RED
24003 SB205 YELLOW

2 POINT SEAT BELT

Item SB-6001

- 2 point seat belt with 48mm width polyester belts
- Fixed:18" Adjustable:42"

Standard Color

25001 SB6001 BLACK

Item SB-7003

- 2 point seat belt with 48mm width polyester belts
- Fixed:18" Adjustable:42"

Standard Color

26001 SB7003 BLACK

3 POINT SEAT BELT

Item SB-301

- 3 point seat belt with 48mm width polyester belts
- Fixed:12" Adjustable:125"

Standard Color

30001 SB301 BLACK

Item SB-1010

- 3 point seat belt with 48mm width polyester belts
- Fixed:12" Adjustable:125"

Standard Color

32001 SB1010 BLACK

Item SB-1015

- 3 point seat belt with 48mm width polyester belts
- Fixed:12" Adjustable:125"

Standard Color

33001 SB1015 BLACK

SEAT BELT COMPONENT

Durable, lightweight components designed to meet the toughest motorsport standards for safety, consistency, and performance.

HARDWARE

RB-03
- Rotary buckle with long lever
- 197 g

RB-01
- Rotary buckle with short lever
- 200 g

RB-02
- Rotary buckle with round cover
- 217 g

RB-04
- Ultra buckle
- 230g

RB-02SM

RB-04SM

T-24
- Long tongue
- chromium plating
- flat type
- 27 g

T-01
- Tongue
- chromium plating
- flat type
- 19 g

T-01A
- Tongue
- chromium plating
- curve type
- 19 g

T-01B
- Tongue
- Electro deposited coating (EDP)
- flat type
- 19 g

T-01AB
- Tongue
- Electro deposited coating (EDP)
- curve type
- 19 g

T-02
- Big tongue
- chromium plating
- flat type
- 30 g

T-02A
- Big tongue
- chromium plating
- curve type
- 30 g

T-02B
- Big tongue
- Electro deposited coating (EDP)
- flat type
- 30 g

T-02AB
- Big tongue
- Electro deposited coating (EDP)
- curve type
- 30 g

HARDWARE

AD-02
- 3 inch steel adjuster
- 141 g

AD-03
- 2 inch steel adjuster
- 83 g

ADB-01
- 3 inch aluminum adjuster
- 110 g

AD-01
- 3 inch aluminum adjuster
- 110 g

ADB-02
- 3 inch ultra-light adjuster
- 133 g

PAT. D214929
PAT. No 008491112-0001

ADB-03
- 2 inch aluminum adjuster
- 103 g

T16
- 2 inch superfast tongue adjuster
- 116 g

PAT. D207194
PAT. M593204

T17
- 2 inch superfast adjuster
- 105 g

PAT. No 007406004-0001

T11
- 2 inch Steel tongue adjuster
- 92g

T25
- 3 inch ultra-light tongue adjuster
- 153 g

TU4
- 1 inch 3-bar
- 18 g

TU2-A
- 2 inch 3-bar
- curve type
- 62g

TU3-A
- 3 inch 3-bar
- curve type
- 108g

FB-02A
- 45mm slide bar
- 42g

FB-02B
- 45mm slide bar
- 48g

BUCKLE DUST RISK IN COMPETITIONS

The dust cover is made of silicone material. For the use of BUCKLE, dust and dirt may enter the BUCKLE in special competition situations, causing internal parts to become dirty and unable to be used.

IMPROVEO SELF-CLEANING BUCKLE DESIGN

We have improved this weakness by inserting BUCKLE into the outer layer of BUCKLE in an additional way. Each slot has a self-cleaning function and is also a line of defense before entering the inside of BUCKLE.

HARDWARE

A-01

- 2 inch snap hook
- 80 g

A-01PVC

- 2 inch snap hook
- 80 g

A-02C

- 1 inch snap hook
- 36g

A-14

- 3 inch snap hook
- 109g

A-05

- 25mm End fitting
- 30 g

A-05B

- 25mm End fitting
- 30 g

A-06

- 45mm End fitting
- 95 g

A-07

- 50mm slide bar
- 108 g

A-13

- 1 inch snap hook
- 46g

A-08

- Soldering plate with a 7/16 thread nut
- 72x72mm
- 115g

A-15

- 3 inch bolt-in
- 86g

A-02A

- 2 inch bolt-in
- 63g

A-03

- 2 inch long bolt-in
- 73g

T-14

- 2 inch T tongue
- 48g

T15

- 2 inch T tongue
- 39 g

T15A

- 2 inch three-hole T tongue
- 35g

A-16

- 2 inch superfast adjuster snap on(lever up)
- 149g

A-16L

- 2 inch superfast adjuster snap on(lever down)
- 149g

A-17

- 2 inch superfast adjuster bolt in(lever up)
- 143g

A-17L

- 2 inch superfast adjuster bolt in(lever down)
- 143g

CONCEPT IDEA

With the latest combination technology, we merge the original two hardware parts into one to achieve a lighter and faster implementation,and use it with an exclusively invented lever to present two ways of use at different angles, achieve rapid adjustment.

INNOVATIVE LEVER DESIGN FOR RAPID ADJUSTMENT

When you press down on the lever, it causes the knurled rodto move,allowing the webbing to be adjusted in length.

When you pull the lever up, it also causes the knurled rod to move, allowing the webbing to be adjusted in length.

We attach pull straps to quickly adjust the webbing

HARDWARE

T-08
- 45mm forged aluminum quick release
- 113g

T-09
- 45mm aluminum quick release
- 72g

T-10
45mm steel quick release
- 66g

T-18
- 45mm aluminum quick release
- 90g

T12
- Carabiner stainless steel
- 37 g

T13
- End fitting
- 100 g

T-23
- Fixed Eye Snap Shackle
- Size : 35mm(13g) 52mm(43g) 69mm(85g) 96mm(209g)

SC-01
- 7/16 UNF eye bolt
- 56g

SC-03
- 7/16 UNF long eye bolt
- 162 g

LATCH AND LINK SYSTEM

LB2
- 2" latch and link
- 501 g

PAT. 7234011
PAT. D218692

LB2-FORGED
- 2" forged latch and link
- 508 g

PAT. 7234011
PAT. D218692

LB3
- 3" latch and link
- 797 g

PAT. 7234011
PAT. D218692

T03-L
- Left tongue
- 60g

T03-R
- Right tongue
- 60g

T04L
- Long crotch tongue
- 66g

T04S
- Short crotch tongue
- 58g

T05
- 2 inch link
- 97g

T05A
- 2 inch latch
- 229g

PAT. 7234011
PAT. D218692

T06
- 2 inch link (Forged)
- 100g

T07
- 3 inch link
- 165g

T07A
- 3 inch latch
- 418g

PAT. 7234011
PAT. D218692

T22
- 3 inch long crotch tongue
- 82g

RATCHET MECHANISM INTRODUCTION

(1) For either the left or right side use.
(2) C-shaped buckle, as a limit function, to prevent the separation of thecentral shaft.
(3) Double locking design for added safety.
(4) All kinds of 1/4 inch wrench available.

- Ratcheting mechanism for our 16.1 SFI three-inch or two-inch lap belts.
- Getting the belts tight enough in the heat of battle when off-road racing is very difficult.
- A faster and tighter adjustment of the lap belt without any assistance.
- Capable of withstanding harsh racing conditions and environmentssuch as back-to-back dirt track events or extreme Baja racing.
- Electric black surface treatment, salt spray resistance test.

PAT. D224731

RATCHET MECHANISM

RM-02B

- Black finish
- 2 inch ratchet mechanism
- 364g

RM-02C

- Chrome finish
- 2 inch ratchet mechanism
- 364g

RM-03B

- Black finish
- 3 inch ratchet mechanism
- 427g

RM-03C

- Chrome finish
- 3 inch ratchet mechanism
- 427g

RW-01

- 1/4 inch wrench
- 64g
- 72 tooth

RW-02

- 1/4 inch wrench
- 123g
- 72 tooth

RW-03

- 1/4 inch wrench
- 185g
- 72 tooth

RW-04

- 1/4 inch wrench
- 69g
- 72 tooth

ACCESSORIES

Comprehensive range of racing accessories engineered for safety, efficiency, and control— built to perform under extreme track conditions.

WINDOW NET



Item	RN-01

- In compliance with FIA regulation
- Triangular assembly
- With 2 inch superfast adjuster and quick release buckle
- Valid contribution for safety, 1 inch polypropylence webbing

Standard Colors

78001 RN01 BLACK
78002 RN01 YELLOW
78003 RN01 BLUE
78004 RN01 FLUORESCENT GREEN

Item	RN-02

- In compliance with SFI regulation
- Driver Side Net
- Valid contribution for safety, 1 inch polypropylence webbing

Standard Colors

81001 RN02 BLACK
81002 RN02 YELLOW
81003 RN02 BLUE
81004 RN02 FLUORESCENT GREEN



Item	WSY-2100

- In compliance with sfi regulation
- Most universal size: 18" x 24"
- Valid contribution for safety, 1" polypropylene webbing
- With the best sewing structure
- Manufacturing for consistency
- ***Latch style flat bar with flat bar***

Standard Colors

73001 WSY2100 BLACK
73002 WSY2100 RED
73003 WSY2100 BLUE
73004 WSY2100 YELLOW
73005 WSY2100 GREEN
73006 WSY2100 PURPLE
73007 WSY2100 ORANGE
73008 WSY2100 GREY



Item	WSY-2100R

- In compliance with sfi regulation
- Most universal size: 18" x 24"
- Valid contribution for safety, 1" polypropylene webbing
- With the best sewing structure
- Manufacturing for consistency
- ***Latch style round bar with round bar***

Standard Colors

74001 WSY2100R BLACK
74002 WSY2100R RED
74003 WSY2100R BLUE
74004 WSY2100R YELLOW
74005 WSY2100R GREEN
74006 WSY2100R PURPLE
74007 WSY2100R ORANGE
74008 WSY2100R GREY



Item WSY-2200

- In compliance with sfi regulation
- Most universal size: 18" x 24"
- Valid contribution for safety, 1" polypropylene webbing
- With the best sewing structure
- Manufacturing for consistency
- ***Quick release with push button with round bar***

Standard Colors

75001 WSY2200 BLACK	75002 WSY2200 RED	75003 WSY2200 BLUE
75004 WSY2200 YELLOW	75005 WSY2200 GREEN	75006 WSY2200 PURPLE
75007 WSY2200 ORANGE	75008 WSY2200 GREY	



Item WSY-10219

- In compliance with sfi regulation
- Most universal size: 18" x 24"
- Valid contribution for safety, 1" polypropylene webbing
- With the best sewing structure
- Manufacturing for consistency
- ***Spring loaded pin with flat bar***

Standard Colors

76001 WSY10219 BLACK	76002 WSY10219 RED	76003 WSY10219 BLUE
76004 WSY10219 YELLOW	76005 WSY10219 GREEN	76006 WSY10219 PURPLE
76007 WSY10219 ORANGE	76008 WSY10219 GREY	

Item WAB-01



Standard Colors

71001 WAB01 BLACK	71002 WAB01 RED	71003 WAB01 BLUE
71004 WAB01 YELLOW	71005 WAB01 GREEN	71006 WAB01 PURPLE
71007 WAB01 ORANGE	71008 WAB01 GREY	

Item WSY-01



SFI COMPLIANT SPEC 27.1

- Most universal size: 18" x 24".
- SFI 27.1 rating, with SFI tag.
- Valid contribution for safety, 1" polypropylene webbing.
- With the best sewing structure.
- Manufacturing for consistency.

Standard Colors

72001 WSY01 BLACK	72002 WSY01 RED	72003 WSY01 BLUE
72004 WSY01 YELLOW	72005 WSY01 GREEN	72006 WSY01 PURPLE
72007 WSY01 ORANGE	72008 WSY01 GREY	

HELMET NET

HN-01

- Polyester helmet carrying net
- Suitable for all cars, can hold 2 helmets
- Attaches To Roll Cage via adjustment buckles and straps.

HN-02

- Polyester helmet carrying net
- Suitable for all cars, can hold 2 helmets
- Attaches To Roll Cage via adjustment buckles and straps.

TUNING PARTS / SEAT BELT BUCKLE

TUN-01

- 2"
- 162g

TUN-02

- 1"
- 124g

TUN-03

- 1"
- 124g

TUN-04

- 2"
- 175g

AD-04

- 58g

SC-02

- 43g

TUN-05

- 2"
- 140g

TUN-06

- 2"
- 135g

TUN-07

- 1"
- 104g

TUN-08

- 2"
- 116g

TUN-09

- 2"
- Quick release buckle
- 169g

TUN-10

- 45mm
- Bus seat belt buckle
- 221g

TUN-11

- 45mm
- Bus seat belt buckle
- 171g

SEAT BELT BUCKLE EXTENDER

BA-9

- 90mm buckle

BA-12

- 120mm buckle

BA-14

- 140mm buckle

BA-22

- 220mm buckle

BA-30

- 300mm buckle

BA-45

- 450mm buckle

EXB-1

- 130mm Extender with steel tongue

EXB-5

- 168mm Extender with steel tongue

EXB-10

- 235mm Extender with webbing

TOW STRAPS

Item TS-01

- The strongest break strength: 2 tons.
- Using length: 30cm
- Bolt-hole centre ID is 12.5mm.
- Durable polyester 2" webbing.
- Customized length with all kinds of colors.

Standard Colors

77001	TS01 BLACK	77002	TS01 RED	77003	TS01 BLUE
77004	TS01 YELLOW	77005	TS01 GREEN	77006	TS01 PURPLE
77007	TS01 PINK	77008	TS01 ORANGE	77009	TS01 AQUA BLUE
77010	TS01 GREY	77011	TS01 CAMO	77012	TS01 FLUORESCENT YELLOW
77013	TS01 FLUORESCENT GREEN	77014	TS01 FLUORESCENT PINK		
77015	TS01 TREE	77016	TS01 CHAMPION		

ARM RESTRAINT

- In compliance with SFI regulation
- Set comes in a pair
- For use Dragster, Midget and Off Road racing.

AR-01 (ADULT) Standard Colors

79001	AR01 BLACK	79002	AR01 RED	79003	AR01 BLUE

AR-02 (JUNIOR) Standard Colors

80001	AR02 BLACK	80002	AR02 RED	80003	AR02 BLUE

RATCHET STRAPS

SA09

- 1 inch ratchet strap
- B/S: 800 kgs (1760 lbs)

SA15

- 2 inch ratchet strap
- B/S: 2000 kgs (4400 lbs)

SA16

- 2 inch ratchet strap
- B/S: 5000 kgs (11000 lbs)

RR606

- 2 inch retractable ratchet strap
- B/S: 1500kgs (3300lbs)

RR01

- 1 inch retractable ratchet strap
- B/S: 600 kgs (1300 lbs)

RR02

- 2 inch retractable ratchet strap
- B/S: 1500 kgs (3300 lbs)

RR61

- 18mm retractable ratchet strap
- B/S: 640kgs (1400lbs)

RR03-C

- 1 inch retractable ratchet strap
- B/S: 200kgs (440lbs)

RR03-U

- 1 inch retractable ratchet strap
- B/S: 500kgs (1100lbs)

RR67

- 1.5 inch retractable ratchet strap
- B/S: 1000kgs (2200lbs)

SPARE TIRE STRAP

STS09

- 1 inch
  spare tire strap

STS09-P

- 1 inch
  spare tire strap

STS16-4M

- 2 inch
  spare tire strap

STS25

- 1 inch
  spare tire strap

STS27

- 38 mm
  spare tire strap

STS22

- 2 inch
  spare tire strap

STS-001

- 2 inch spare tire strap

TU5

- 38mm
  3-bar
- 35g

T-19

- 50mm
  D ring
- 86g

T-20

- 50mm
  delta ring
- 95g

T-21

- 50mm
  O ring
- 86g

A-09

- 1.5 inch
  twist hook
- 160g

A-10

- 2 inch
  twist hook
- 320g

A-11

- 2 inch hook
- 314g

A-12

- S hook
  with spring
- 105g

TIE DOWN STRAPS

S03-W

- 1 inch
- B/S:350kgs (770 lbs)

S03P-W

- 1 inch
- B/S:100kgs (220 lbs)

S05-W

- 1 inch
- B/S:100kgs (220lbs)

S09-W

- 1 inch ratchet
- B/S:900kgs (1900 lbs)

SH11

- 1 inch
- B/S: 750kgs (1650 lbs)

CB13LH

- 1.5 inch
- B/S: 750KGS (1650 lbs)

SH03

- 1 inch
- B/S: 350kgs (770 lbs)

SH04

- 1 inch
- B/S: 650kgs (1340 lbs)

Padding

PD-01 / PD-02

- Customized logo
- Measures 2 inches and 3 inches in size
- Set comes in a pair

2" Standard Colors

82001 PD01 BLACK 82002 PD01 RED 82003 PD01 BLUE

3" Standard Colors

83001 PD02 BLACK 83002 PD02 RED 83003 PD02 BLUE

HAND TOOLS

HT01

- 10 pieces allen keys

HT02

- 14 pieces combination wrench set
- Size : 8～24mm

HT03

- 18 pieces 1/4 inch socket set

HT04

- 42 pieces power bits set hardware tools

HT05

- 1/2 inch impact socket bit set
- Torx Bit Type: T30,T40, T45,T47,T50,T55,T60,T70
- Hex Bit Type: H6,H7,H8, H10,H12,H14,H17,H19

HT06

- 12 inch double head wrench tool
- Size: 6mm-19mm

HT07

- 1/4 inch low profile ratchet sockets tool kits

HT08

- 3pcs 1/2 inch alloy wheel nut socket
- Size: 17, 19 ,21mm

HT09

- 17 piece 1/2 inch drive 6 pt socket set

HT10

- 72 teeth extendable ratchet tool

HT11

- 250mm water pump plier

HT12

- 250mm water pump plier
- The maximum opening is 50mm

HT13

- 150mm cable cutter
- Drop forged and heat treated

HT14

- 190mm pliers
- colors: Silver

VEHICLE EQUIPMENT

Advanced vehicle equipment engineered for precision control, performance, and safety—trusted by racers to push every machine to its limit.

Image for display purposes only

STEERING WHEEL

MANUFACTURING PROCESS

Stamping

Remove Burrs

Welding

Cladding

Cutting

Weave

Stock

Packaging





STEERING WHEEL

- Made from high quality leather
- Improves the grip and control of your vehicle
- Provides a more sporty feel to your vehicle
- 5mm thickness

Item SW-01

Item SW-02



SW-01	350 mm	90 mm
SW-02	350 mm	75 mm
SW-03	350 mm	75 mm
SW-04	330 mm	Flat design
SW-05	350 mm	Flat design
SW-06	320 mm	Flat design
SW-07	350 mm	50 mm

Item SW-03

Customized plating colors

We offer a wider range of customized plating colors to create a truly distinctive design style.

Black Matte Black Red Rainbow

Item SW-04

Item SW-05

Item SW-06

Item SW-07

- Made from high quality wood
- Improves the grip and control of your vehicle
- Provides a more retro Classic to your vehicle
- 3mm thickness
- aluminum horn cover

BONNET PINS

Item BP-02

- Material: aluminum
- Size: Ø12
- Color: red,blue,silver,black

Standard Colors

94001 BP02 BLACK 94002 BP02 RED
94003 BP02 BLUE 94004 BP02 SILVER

Item BP-03

- Aero catch plus flush kit
- Panel fasteners are designed for bonnet / hood, boot /trunk, tailgates

Item BP-04

- Competition boot springs
- Material: stainless steel

PEN CLIP

Item PC-01

- Material: iron
- Triple Hole Pen Holder
- Size: 40x 39mm

HOOD PINS LOCK CLIP

Item HP-01

- Head size latch : 1.0"(25mm)1.25"(32mm) /2.5"(64mm)
- Length of mounting stud: 2.13"(54mm)/4"(100mm)

Standard Colors

92001 HP01 BLACK 92002 HP01 RED
92003 HP01 BLUE 92004 HP01 SILVER

STEERING WHEEL QUICK RELEASE

Item QR-01

- Material: aluminum
- Size: 3.3 inch (Diameter) x 2.56 inch (Height)
- Ball-Lock type mechanism for best locking fit and usability
- Fast detach allows steering wheel to be removed quickly
- Push-pin security feature prevents premature unlocking
- Compatible with 6-hole steering wheel hub kit

Standard Colors

91001 QR01 BLACK 91002 QR01 RED 91003 QR01 BLUE 91004 QR01 GOLD

Item QR-01S

- Material: aluminum
- Size: 16mm (Diameter) x 79mm (Height)
- 4 stainless steel balls lock the mechanism into place
- Fast detach allows steering wheel to be removed quickly

Standard Colors

91001 QR01S GOLD

Item QR-02

- Material: aluminum
- steel
- Size: 25*10mm
- Ball-Lock type mechanism for best locking fit and usability
- Fast detach allows steering wheel to be removed quickly

Standard Colors

93001 QR02 RED 93002 QR02 BLUE 93003 QR02 SILVER

ALUMINIUM TANK

Item AT-01 (10 L) **Item AT-02 (20 L)**

Built for motorsport and track-day use, the TBRACING Racing Tank uses a robust all-aluminum construction to reduce weight, resist corrosion, and deliver reliable fuel supply under sustained lateral G-forces.

- Full-Aluminum Construction – Lightweight, strong, and corrosion-resistant
- Standard Dash-10 (-10AN) Interfaces – Easy plumbing with common motorsport fittings and hoses.
- Universal Mounting Tabs – Pre-welded brackets for secure chassis installation.
- Track-Focused Design – Stable fuel delivery for spirited driving, time attack, drifting, autocross, and endurance use.

HOSE END FITTINGS

Item H-01

- Designed exclusively for use with our offering of PTFE lined flex hose.
- Optimized high-flow internal radius (0°/45°/90°/180°)
- CNC-machined 6061 aluminum, Black Hard-Anodized only
- For use in race fuel systems as well as Nitrous, Cooling, Oil, Power Steering and Coolant (not suited for brake and hydraulic line applications).

SAFETY HAMMER

Item HA-10005

- Size: 137(L) x 88(W) x 32(H)mm
- Weight: 158g

Item HA-10006

- Size: 188(L) x 80(W) x 35(H)mm
- Weight: 200g

SEAT BELT CUTTER

Item CU-5258

- Material: Plastic
- Size: 123(L) x 44(W) x 6(H)mm
- Weight: 19g

SWITCH CUT OUT

PS-01

- 6 poles switch cut out, (fia)
- Inside all conducting part use copper

PS-02

- 4 poles switch cut out
- Inside all conducting part use copper

PS-03

- 2 poles switch cut out
- Inside all conducting part use copper

SECURITY SWITCH COVER

SC-02

- Colour : Red /Amber/ Green/ Blue / White
- Suits all 15/32"*~32thread mounting stem toggle switches

COUPE-CIRCUIT

TP-01

- T pull cable
- Length of mounting:1.5m/3m

S-01

- Fire extinguisher sticker
- Circuit breaker sticker
- Arrow sticker

TOGGLE SWITCH

TS-02

- 2 position switch : ON/OFF
- Rating :25Amps @ 12Volts DC
- Size :Ø12mm

TS-03

- LED toggle seitch
- LED 5 Colors : Red/yellow/Green/ Blue/orange
- 2 Position On-Off
- Rating:20Amps @ 12Volts DC

RACING CAR SWITCH PANEL

SP-01

- 1 aero style switch + 1 push button
- Size : 66 x 95 mm

SP-02

- 3 switches (1 aero style)+ 1 push button
- Size :125 x65 mm

SP-03

- 4 switches (1 aero style)+ 1 push button
- Size :156x65 mm

HYDRAULIC HANDBRAKE KIT

Item HHB-01

- 31.5cm Aluminum alloy hydraulic handbrake
- cylinder inner dia: 0.75" (1.9cm)

Item HHB-02

- 50cm Aluminum alloy hydraulic handbrake

Item HHB-03

- 63 cm Aluminum oxide handle handbrake

Standard Colors

95001 HHB01 BLACK	96001 HHB02 BLACK	97001 HHB03 BLACK
95002 HHB01 RED	96002 HHB02 RED	97002 HHB03 RED
95003 HHB01 BLUE	96003 HHB02 BLUE	97003 HHB03 BLUE
95004 HHB01 GOLD	96004 HHB02 GOLD	97004 HHB03 GOLD

Item HHB-04

- 40cm Aluminum oil hydraulic handbrake

Item HHB-05

- 40cm Aluminum oil hydraulic handbrake
- cylinder inner dia: 0.7"

Standard Colors

98001 HHB04 BLACK	98002 HHB04 RED	98003 HHB04 BLUE
98004 HHB04 GOLD	98005 HHB04 NEO CHROME	

99001 HHB05 SILVER

STEERING QUICKENER

Item SQ-1015 **Item SQ-1020**

- Ratio: 1.5:1 & 2:1 (input doubled at the output)for rapid transitions and precise car placement.
- HD Gearset – Motorsport-grade, heat-treated gears supported by sealed bearings for smooth, backlash-free operation and high torque capacity.
- Construction: CNC-machined aluminum housing, hardened steel gears, sealed bearings, light weight, corrosion resistance, and a low-profile install.
- delivering faster response and tighter control for use drifting, circuit racing, autocross, and rally.

PRESSURE REGULATOR

Item PR-01

- Universal fuel pressure regulator, adjustable, black, with pressure gauge, 2-8 bar

WIDE-ANGLE INTERIOR MIRROR

Item RM-01

- Siez: 355mm
- Safety rearview mirror with wide-angle view.

FIA APPROVED

FIRE EXTINGUISHER

MANUFACTURING PROCESS

Stamping

Barrel Stretch

Air Pressure Detection

Factory

Hydraulic Stamping

Cylindrical spray

paint

Powder Paint

Lock the Valve

Automatic Dry Powder Fire Extinguisher

Stainless Steel Fire Extinguisher

Stainless Steel

FIRE EXTINGUISHER



Item FE-01

- ***4.25L Electrical Rally Car Fire Extinguisher.***
- ***Stainless Steel Type.***
- The kit complies with current FIA and MSA regulations.
- For use in all enclosed cockpit vehicles.
- Dimensions: Cylinder Length 330mm, cylinder diameter 160mm.
- Weight: Complete system 6.2kg.



Item FE-02

- ***4.25L Mechanically Rally Car Fire Extinguisher.***
- ***Carbon Steel Type.***
- The kit complies with current FIA and MSA regulations
- For use in saloon cars, rally cars, GT and sports cars.
- Dimensions: Cylinder Length 330mm, cylinder diameter 160mm
- Weight: Complete system 8.5kg

FIRE EXTINGUISHER



Item FE-03

- ***Powder ABC 2Kg extinguisher***
- ***Steel tank Type***
- The kit complies with Standard BSI EN3For use in caravan car, vehicle, boats, home
- Dimensions: Cylinder Length 395mm, cylinder diameter 110mm
- Weight: Complete system 3.75kg


Bracket 1X

Valve 1X

Gauge 1X

Nozzle 1X

Diptube 1X



Item FE-04

- ***Racing ABC 1KG Fire Extinguishers***
- ***Steel tank Type.***
- The kit complies with Standard BSI EN3 For use in caravan car, vehicle, boats, home
- Dimensions: Cylinder Length 280mm, cylinder diameter 85mm
- Weight: Complete system 1.13kg

Bracket 1X

Pulling cable 2X

Valve 6X

Gauge 1X

Diptube 1X

OIL FUEL SWIVEL HOSE END

· Customized size specifications

AJT-01

AJT-04

AJT-06

AJT-19

AJT-20

AJT-22

AJT-24

AJT-410

AJT-419

AJT-411

AJT-440

AJT-444

AJT-504

AJT509

AJT-501

STAINLESS STEEL BRAIDED HOSE

SYG-02

· Customized size specifications

SGZ-01

· Customized size specifications

BRAIDED OIL FUEL HOSE LINE

SGZ-02

· Customized size specifications

RACING RADIATOR

Item R-01

Purpose-built for track, mountain roads, and hot climates.
The TBRACING Racing Radiator is a full-aluminum, high-capacity cooling solution designed to stabilize coolant temps under sustained load, reduce heat soak, and keep power delivery consistent—lap after lap.

- Full Aluminum Construction
- TIG-welded end tanks with a high-efficiency aluminum core.
- Pressure & Leak Tested to reliability under motorsport use.
- Optional add-ons: silicone hose kit, clamps, shrouds.

Recommended Use: Track days, endurance events, spirited driving, towing, hot-weather street use, and any tuned/forced-induction setups where coolant temps trend high.

Item R-02

- Universal oil cooler.
- Material: High-strength aluminum (T-6061)
- Color: Silver or black (depending on selection)
- Dimensions: 7/10/13/15/16/19/25/30 rows

Features:

- Connection thread: Dash 10 (AN10) – ideal for high flow rates
- Max. operating pressure: 10 bar (tested up to 12 bar)
- Usable to Cool Down Engine Oil and Rear-Differentials.

TWO-LEVEL CONTROL PANEL (COMPLETE)

Item CP-01

Features:

- Designed for vertical or horizontal mounting
- Includes side panels for mounting angle adjustment
- Easy in-car installation

Material: Steel

- Master switch：6-pole
- Toggle switches：12V / 25A（aviation-style）
- Fuse box capacity：8 blade fuses

Size:

- Top width: 230 mm
- Bottom width: 190 mm
- Height: 290 mm
- Side height: 150 mm

LOAD TESTING PROCEDURES

The load testing procedures for racing seats check their strength and safety under different pressure conditions. These tests simulate real forces like vertical, horizontal, and impact loads to see if the seatcan handle the stress during races. The results help ensure the seat meets safety standards.

RACING SEAT

CUSTOMIZED YOUR OWN SEAT



Item	RS-01						
DIMENSIONS (MM)							
A	B	C	D	E	F	G	
300	380	490	570	390	880	450	
WEIGHT : 8 kg							

Item	RS-01W						
DIMENSIONS (MM)							
A	B	C	D	E	F	G	
390	450	560	610	460	880	450	
WEIGHT : 10 kg							



Item	RS-02						
DIMENSIONS (MM)							
A	B	C	D	E	F	G	
310	370	500	590	380	910	480	
WEIGHT : 8.32 kg							



Item RS-03

DIMENSIONS (MM)						
A	B	C	D	E	F	G
320	370	500	580	390	930	530
WEIGHT : 9.24 kg						



Item RS-04

DIMENSIONS (MM)						
A	B	C	D	E	F	G
300	380	470	500	410	970	480
WEIGHT : 14.43 kg						



Item RS-11

- Universal seat mount

DIMENSIONS (MM)					
A	B	C	D	E	F
360	50	36	75	36	9



Item RS-05

DIMENSIONS (MM)						
A	B	C	D	E	F	G
300	370	515	500	400	990	550
WEIGHT : 16.04 kg						

Item RS-12

- Sliding tracks



Item RS-13

- Universal seat mount

DIMENSIONS (MM)						
A	B	C	D	E	F	G
360	70	18	75	145	158	10

FIA APPROVED



Item RS-07

- FIA Standard 8855-2021
- Fiberglass seat shell
- Fireproof fabric seat cover
- With high density foamSeat back air holes increase air flow
- Dimensional Embroidery Logo

DIMENSIONS (MM)						
A	B	C	D	E	F	G
360	400	540	500	430	930	530
WEIGHT : 15 kg						



Item RS-14

- Fia seat mount

DIMENSIONS (MM)						
A	B	C	D	E	F	G
420	95	20	95	196	196	13

FIA APPROVED



Item RS-08

- FIA Standard 8855-1999
- Lightweight, high-strength GRP shell
- high-quality motorsport fireproof fabric seat cover
- With high density foamSeat back air holes increase air flow
- Dimensional Embroidery Logo

DIMENSIONS (MM)						
A	B	C	D	E	F	G
380	420	480	610	-	950	615
WEIGHT : 11kg						

FIA APPROVED



Item RS-09

- FIA Standard 8855-1999
- Polyester-glass laminate characterized
- high-quality motorsport fireproof fabric seat cover
- 5 slots for 5/6 point belts
- Dimensional Embroidery Logo

DIMENSIONS (MM)						
A	B	C	D	F	G	H
385	480	420	610	930	610	620
WEIGHT : 10kg						



Item RS-10

- The seat for a child.
- Polyester-glass laminate
- high-quality Velor fabric , 3D, jacquard or imitation leather upholstery
- 4 holes for seat belts
- Dimensional Embroidery Logo

DIMENSIONS (MM)						
A	C	D	F	I	J	-
300	410	490	710	260	430	-
WEIGHT : 4kg						



Item RS-10W

- The seat for a child.
- Polyester-glass laminate
- high-quality Velor fabric , 3D, jacquard or imitation leather upholstery
- 4 holes for seat belts
- Dimensional Embroidery Logo

DIMENSIONS (MM)						
A	B	C	D	F	G	H
305	430	325	510	710	450	420
WEIGHT : 4kg						

FIA APPROVED



Item RS-15

- FIA Standard 8855-1999
- Highly durable polyester-glass laminates
- High-density energy-absorbing foam for impact comfort
- Deep shoulder and thigh bolsters to hold the driver firmly in high-G corners
- Dimensional Embroidery Logo

DIMENSIONS (MM)						
C	D	F	G	H	K	-
430	590	920	630	610	600	-
WEIGHT : 8.85kg						

FIA APPROVED



Item RS-16

- FIA Standard 8855-1999
- Highly durable polyester-glass laminates
- HANS®/FHR-friendly shoulder slot geometry
- Deep seat base with moderate thigh bolsters
- Suitable for historic and sports cars

DIMENSIONS (MM)						
A	C	D	F	G	H	K
400	410	580	900	610	580	640
WEIGHT : 8.7kg						

FIA APPROVED



Item RS-17

- FIA Standard 8855-1999
- One of the most popular racing seats in Europe
- Highly durable polyester-glass laminates
- Deep sitting position of the GT, the driver can feel safe and comfortable
- Dimensional Embroidery Logo

DIMENSIONS (MM)						
A	C	D	F	G	H	-
380	495	590	930	600	590	-
WEIGHT : 8.2kg						

FIA APPROVED

Item RS-18

- FIA Standard 8855-1999
- Highly durable polyester-glass laminates
- Additional head protection and ear pads to protect the driver's head.
- Abrasion-resistant leather is used in areas prone to abrasion
- Dimensional Embroidery Logo

DIMENSIONS (MM)						
A	B	D	F	G	H	L
370	395	580	920	610	570	470
WEIGHT : 10kg						

FIA APPROVED



Item RS-19

- FIA Standard 8855-1999
- using the RTM process lightweight composite shell
- Water-resistant EPDM pad system , doesn't have traditional padding, making cleaning extremely easy
- Integrated slots for 5-/6-point harness (sub-strap pass-through in the base) and HANS®/FHR compatible shoulder geometry.

DIMENSIONS (MM)						
A	B	C	D	E	F	G
393	-	540	600	-	900	490
WEIGHT : 8.3kg						

FIA APPROVED



Item RS-19S

- FIA Standard 8855-1999
- using the RTM process lightweight composite shell
- with synthetic leather
- Integrated slots for 5-/6-point harness

DIMENSIONS (MM)						
A	B	C	D	E	F	G
393	-	540	600	-	900	490
WEIGHT : 8.3kg						

Item RS-06

- 15inch Racing Aluminum Drag Seat



DIMENSIONS (MM)			
A	B	C	D
381	901.7	622.3	203.2
WEIGHT : 4.6 kg			

Item RS-06SM

Item RS-06B

- 15inch Racing Aluminum Drag Seat with black coated

Item RS-06P

- 15inch Racing Aluminum Drag Seat with fabric cover

- Light weight -Aluminum has a density of about 2.7g/cm3 , To reduce theoverall weight of the vehicle.
- High strength and durability-Aluminum material has a high strength,can withstand the high-strength impact force and pressure generated inthe process of racing, to ensure the safety of racers.
- Good corrosion resistance - aluminum racing chalrs are not easy to rustand corrosion, and always maintain good performance and appearance.
- Excellent heat dissipation -Aluminum has good thermal conductivity andcan quickly diss ipate heat.
- Beauty and texture -The surface can be anodized, sprayed and otherprocessing processes to achieve a variety of color and texture effectsto meet the individual needs of different racing teams and drivers.

Item RS-20

- Racing Aluminum Drag Seat

Item RS-20B

- Racing Aluminum Drag Seat with black coated

Item RS-20SM



DIMENSIONS (MM)			
A	B	C	D
410	910	460	-

DRIVER EQUIPMENT

Premium driver equipment designed for ultimate protection, comfort, and visibility—engineered to perform under the toughest racing conditions.

Item HE-01

- FIA 8859-2024 STANDARD & SNELL SA2025
- 3/4 Helmet
- Compoiste
- 6 sizes available : XS, S, M, L, XL, 2XL
- Weight : 1600 grams.
- Colour: white & matte black & gloss black & silver

HELMETS SIZE (CM)					
XS	S	M	L	XL	XXL
52-53	54-55	56-57	58-59	60-61	62-63

Item V-02

- visors of HE-02
- color: dark smoke, iridium blue, light smoke, amber, silver

Item HE-02

- FIA 8859-2024 STANDARD & SNELL SA2025
- full Helmet
- Compoiste
- 6 sizes available : XS, S, M, L, XL, 2XL
- Weight : 1750 grams.
- Colour: white & matte black & gloss black & silver

Item HE-03EAR

- INTERCOM KIT (headphone, microphone, earmuffs)

Item HE-03

- FIA 8859-2024 STANDARD & SNELL SA2025
- 3/4Helmet with chin boom
- Compoiste
- 6 sizes available : XS, S, M, L, XL, 2XL
- Weight : 1510 grams.
- Color: white & matte black & gloss black & silver

HELMETS SIZE (CM)					
XS	S	M	L	XL	XXL
52-53	54-55	56-57	58-59	60-61	62-63

Item HE-04

- 3/4Helmet
- Composite
- 6 sizes available : XS, S, M, L, XL, 2XL
- Weight : 1400 grams.
- Colour: gloss Black, matte Black, white

HELMETS SIZE (CM)					
XS	S	M	L	XL	XXL
53-54	55-56	57-58	59	60-61	62-63

Item HE-04C

- 3/4Helmet
- Carbon Fiber Composite
- 6 sizes available : XS,S, M, L,XL,2XL
- Weight : 1400 grams.

HELMETS SIZE (CM)					
XS	S	M	L	XL	XXL
53-54	55-56	57-58	59	60-61	62-63

Item HE-04T

- 3/4Helmet
- 100% T800 Carbon Fiber shell
- 6 sizes available : XS, S, M, L, XL, 2XL
- Weight :1335 grams.
- Colour: Black/Large Weave Carbon Fiber

Item V-06

- visors of HE-06
- color: Blue, Amber, Gold, dark smoke, silver, light smoke

Item HE-06

- Full HELMET
- SNELL SA2025
- 7 sizes available : XS, S, M,L,XL,2XL,3XL
- Weight : 1600 grams.
- Color: white & black & silver & orange

HELMETS SIZE (CM)						
XS	S	M	L	XL	XXL	XXXL
53-54	55-56	57-58	59	60-61	62-63	64

Item HE-06A

- Full HELMET
- SNELL SA2025
- Side ventilation duct
- 7 sizes available : XS, S, M,L,XL,2XL,3XL
- Weight : 1600 grams.
- Color: white & black & silver & orange

Item HE-07

- Full HELMET
- SNELL SA2025
- Ultra-tough Carbon fibre shell construction
- 7 sizes available : XS, S, M, L,XL, 2XL, 3XL
- Weight : 1500 grams.

HELMETS SIZE (CM)						
XS	S	M	L	XL	XXL	XXXL
53-54	55-56	57-58	59	60-61	62-63	64

Item HE-07A

- Full HELMET
- SNELL SA2025
- Ultra-tough Carbon fibre shell construction
- Side ventilation duct
- 7 sizes available : XS, S, M, L,XL, 2XL, 3XL
- Weight : 1500 grams.

Item V-08

- visors of HE-08
- color: Blue, Amber, Gold, dark smoke, silver, light smoke

Item HE-08

- Full HELMET
- FIA 8859-2024 STANDARD & SNELL SA2025
- Compoiste
- 6 sizes available : XS, S, M, L, XL, 2XL
- Weight : 1650grams.
- Color: white、matte black、gloss black、silver.

HELMETS SIZE (CM)					
XS	S	M	L	XL	XXL
53-54	55-56	57-58	59	60-61	62-63

Item HE-08C

- Full HELMET
- FIA 8859-2024 STANDARD & SNELL SA2025
- Carbon Compoiste
- 6 sizes available : XS, S, M, L, XL, 2XL
- Weight : 1500 grams
- Color：gloss carbon & matte carbon

Item HE-11

- Full HELMET
- FIA 8859-2024 STANDARD
- Compoiste
- 6 sizes available : XS, S, M, L, XL, 2XL
- Weight : 1550grams.
- Color: white & matte black & gloss black & silver

HELMETS SIZE (CM)					
XS	S	M	L	XL	XXL
53-54	55-56	57-58	59	60-61	62-63

Item HE-12

- Full HELMET
- FIA 8859-2024 STANDARD & SNELL SA2025
- Compoiste
- 6 sizes available : XS, S, M, L, XL, 2XL
- Weight : 1650grams.
- Color: white & matte black & gloss black & silver

Item HE-13

- Full HELMET
- FIA 8859-2024 STANDARD & SNELL SA2025
- Carbon Compoiste
- 6 sizes available : XS, S, M, L, XL, XXL
- Weight : 1580 grams.
- Color: gloss carbon & matte carbon

Item V-14

- visors of HE-14
- color: Blue, Amber, Gold, dark smoke, silver, light smoke

Item HE-14

- Full HELMET
- FIA 8859-2024 STANDARD & SNELL SA2025
- 100% Full Carbon Fiber
- 6 sizes available : XS, S, M, L, XL, 2XL
- Weight : 1360grams.
- Color: Black Carbon Fiber

HELMETS SIZE (CM)					
XS	S	M	L	XL	XXL
53-54	55-56	57-58	59-60	61-62	63-64

Item HE-14CP

- Full HELMET
- FIA 8859-2024 STANDARD & SNELL SA2025
- Compoiste
- 6 sizes available : XS, S, M, L, XL, 2XL
- Weight : 1500grams.
- Color: white & matte black & gloss black & silver

HELMETS SIZE (CM)					
XS	S	M	L	XL	XXL
53-54	55-56	57-58	59	60-61	62-63

Item V-15

- visors of HE-15
- color: Blue, Amber, Gold, dark smoke, silver, light smoke

Item HE-15

- Children's Motorsport Full HELMET
- SNELL CMR2016
- Compoiste
- 5 sizes available : XS, S, M, L,XL
- Weight : 1300grams.
- Color: white & matte black & gloss black & silver

HELMETS SIZE (CM)				
XS	S	M	L	XL
54	55-56	57	58	59

Clear

Silver

Amber

Iridium blue

Dark smoke

Light smoke

Item V-02

- visors of HE-02
- 6 Color

Gold

Silver

Blue

Dark smoke

Light smoke

Amber

Item V-06

- visors of HE-06
- 6 Color

Clear

Dark blue mirror

Amber

Light blue mirror

Dark smoke

Dark silver mirror

Light smoke

Light silver mirror

Item V-08

- visors of HE-08
- 8 Color

Dark smoke

Light smoke

Silver mirror

Blue mirror

Gold mirror

Red mirror

Clear

Amber

Item V-14

- visors of HE-14
- 8 Color

Clear

Silver mirror

Blue mirror

Gold mirror

Dark smoke

Amber

Red mirror

Light smoke

Item V-15

- visors of HE-15
- 8 Color